

-Anhang I-

Ergebnisse der systematischen Literaturrecherche mittels der Datenbank Medline.

Suchkombination:

((("Tobacco Smoke Pollution"[Mesh] AND (((("Restaurants"[Mesh]) OR "Risk assessment"[Mesh]) OR "occupational exposure"[Mesh])))

Limits:

Publication Date from 1990 to 2007/06

Language: English, German

Letzte Überprüfung: 06.01.2009

Alphabetische Sortierung nach Erstautor. Vollständig gesichtete Artikel fett hervorgehoben.

- 1: Abrams SM, Mahoney MC, Hyland A, Cummings KM, Davis W, Song L.
Early evidence on the effectiveness of clean indoor air legislation in New York State.
Am J Public Health. 2006 Feb;96(2):296-8. Epub 2005 Dec 27.
PMID: 16380571
- 2: Adlkofer F.
Passive smoking and coronary heart disease in women.
Circulation. 1998 May 12;97(18):1870; author reply 1872-3. No abstract available.
PMID: 9603543
- 3: Agapitos E, Delsedime L, Kalandidi A, Katsouyanni K, Mollo F, Riboli E, Saracci R, Tomatis L, Trichopoulos D, Zavitsanos X.
Correlation of early pathological lesions in the bronchial tree with environmental exposures: study objectives and preliminary findings.
IARC Sci Publ. 1991;(112):263-8.
PMID: 1855945
- 4: **Ahrens D, Uebelher P, Remington PL.**
Evaluation of community and organizational characteristics of smoke-free ordinance campaigns in 15 Wisconsin cities.
Prev Chronic Dis. 2005 Jul;2(3):A08. Epub 2005 Jun 15.
PMID: 15963310
- 5: **Akbar-Khanzadeh F, Milz S, Ames A, Spino S, Tex C.**
Effectiveness of clean indoor air ordinances in controlling environmental tobacco smoke in restaurants.
Arch Environ Health. 2004 Dec;59(12):677-85.
PMID: 16789477
- 6: **Akbar-Khanzadeh F.**
Exposure to environmental tobacco smoke in restaurants without separate ventilation systems for smoking and nonsmoking dining areas.
Arch Environ Health. 2003 Feb;58(2):97-103.
PMID: 12899210
- 7: Akbar-Khanzadeh F, Greco TM.
Health and social concerns of restaurant/bar workers exposed to environmental tobacco smoke.
Med Lav. 1996 Mar-Apr;87(2):122-32.
PMID: 8783860

- 8: Al-Haddad NM, Hamadeh RR, Bahram SA.
Public knowledge and attitudes towards passive smoking.
Saudi Med J. 2005 Dec;26(12):2004-6. No abstract available.
PMID: 16380798
- 9: Alamar B, Glantz SA.
Effect of smoke-free laws on bar value and profits.
Am J Public Health. 2007 Aug;97(8):1400-2. Epub 2007 Jun 28.
PMID: 17600258
- 10: Albers AB, Siegel M, Cheng DM, Rigotti NA, Biener L.
Effects of restaurant and bar smoking regulations on exposure to environmental tobacco smoke among Massachusetts adults.
Am J Public Health. 2004 Nov;94(11):1959-64.
PMID: 15514237
- 11: Algranti E, Menezes AM, Achutti AC.
Lung cancer in Brazil.
Semin Oncol. 2001 Apr;28(2):143-52. Review.
PMID: 11301376
- 12: Alipour S, Deschamps F, Lesage FX.
Effects of environmental tobacco smoke on respiratory symptoms and pulmonary function.
Inhal Toxicol. 2006 Jul;18(8):569-73.
PMID: 16717028
- 13: Allwright S, Paul G, Greiner B, Mullally BJ, Pursell L, Kelly A, Bonner B, D'Eath M, McConnell B, McLaughlin JP, O'Donovan D, O'kane E, Perry IJ.
Legislation for smoke-free workplaces and health of bar workers in Ireland: before and after study.
BMJ. 2005 Nov 12;331(7525):1117. Epub 2005 Oct 17. Erratum in: BMJ. 2006 Jan 21;332(7534):151.
PMID: 16230313
- 14: Altman DG, Deeks JJ, Sackett DL.
Odds ratios should be avoided when events are common.
BMJ. 1998 Nov 7;317(7168):1318. No abstract available. Erratum in: BMJ 1998 Dec 5;317(7172):1505.
PMID: 9804732
- 15: Anderson CS, Feigin V, Bennett D, Lin RB, Hankey G, Jamrozik K; Australasian Cooperative Research on Subarachnoid Hemorrhage Study (ACROSS) Group.
Active and passive smoking and the risk of subarachnoid hemorrhage: an international population-based case-control study.
Stroke. 2004 Mar;35(3):633-7. Epub 2004 Jan 29.
PMID: 14752125
- 16: Anderson KE, Kliris J, Murphy L, Carmella SG, Han S, Link C, Bliss RL, Puumala S, Murphy SE, Hecht SS.
Metabolites of a tobacco-specific lung carcinogen in nonsmoking casino patrons.
Cancer Epidemiol Biomarkers Prev. 2003 Dec;12(12):1544-6.
PMID: 14693752
- 17: Andreeva TI, Krasovsky KS, Semenova DS.
Correlates of smoking initiation among young adults in Ukraine: a cross-sectional study.
BMC Public Health. 2007 Jun 11;7:106.
PMID: 17562020

- 18: Andreoli C, Gigante D, Nunziata A.
A review of in vitro methods to assess the biological activity of tobacco smoke with the aim of reducing the toxicity of smoke.
Toxicol In Vitro. 2003 Oct-Dec;17(5-6):587-94. Review.
PMID: 14599449
- 19: Artinian NT, Schim SM, Vander Wal JS, Nies MA.
Eating patterns and cardiovascular disease risk in a Detroit Mexican American population.
Public Health Nurs. 2004 Sep-Oct;21(5):425-34.
PMID: 15363023
- 20: Ashley MJ, Eakin J, Bull S, Pederson L.
Smoking control in the workplace: is workplace size related to restrictions and programs?
J Occup Environ Med. 1997 Sep;39(9):866-73.
PMID: 9322170
- 21: Aviado DM.
Cardiovascular disease and occupational exposure to environmental tobacco smoke.
Am Ind Hyg Assoc J. 1996 Mar;57(3):285-94. Review.
PMID: 8776200
- 22: Barnes RL, Hammond SK, Glantz SA.
The tobacco industry's role in the 16 Cities Study of secondhand tobacco smoke: do the data support the stated conclusions?
Environ Health Perspect. 2006 Dec;114(12):1890-7.
PMID: 17185281
- 23: Barry D.
Differential recall bias and spurious associations in case/control studies.
Stat Med. 1996 Dec 15;15(23):2603-16.
PMID: 8961466
- 24: Bartosch WJ, Pope GC.
Local restaurant smoking policy enactment in Massachusetts.
J Public Health Manag Pract. 1999 Jan;5(1):63-73.
PMID: 10345514
- 25: Bartosch WJ, Pope GC.
The economic effect of smoke-free restaurant policies on restaurant business in Massachusetts.
J Public Health Manag Pract. 1999 Jan;5(1):53-62.
PMID: 10345513
- 26: Bayard S, Jinot J.
Response to Dr. Barry's article on Environmental tobacco smoke/regarding Mr. Wilson's letter.
Risk Anal. 1996 Jun;16(3):301-4. No abstract available.
PMID: 8693156
- 27: Bayer R, Colgrove J.
Science, politics, and ideology in the campaign against environmental tobacco smoke.
Am J Public Health. 2002 Jun;92(6):949-54.
PMID: 12036788
- 28: Behera D, Balamugesh T.
Lung cancer in India.
Indian J Chest Dis Allied Sci. 2004 Oct-Dec;46(4):269-81. Review.
PMID: 15515828

- 29: Beitsch LM, McTague DM.
Tobacco consumption in Florida.
J Fla Med Assoc. 1996 Feb;83(2):98-101. No abstract available.
PMID: 8850202
- 30: **Bell C, Urbach D.**
Bartenders' pulmonary function after establishment of a smoke-free workplace.
JAMA. 1999 Aug 18;282(7):629. No abstract available.
PMID: 10517708
- 31: Benninger MS.
The impact of cigarette smoking and environmental tobacco smoke on nasal and sinus disease: a review of the literature.
Am J Rhinol. 1999 Nov-Dec;13(6):435-8. Review.
PMID: 10631398
- 32: **Bergman TA, Johnson DL, Boatright DT, Smallwood KG, Rando RJ.**
Occupational exposure of nonsmoking nightclub musicians to environmental tobacco smoke.
Am Ind Hyg Assoc J. 1996 Aug;57(8):746-52.
PMID: 8765204
- 33: Biagini JM, LeMasters GK, Ryan PH, Levin L, Reponen T, Bernstein DI, Villareal M, Khurana Hershey GK, Burkle J, Lockey J.
Environmental risk factors of rhinitis in early infancy.
Pediatr Allergy Immunol. 2006 Jun;17(4):278-84.
PMID: 16771781
- 34: Biener L, Fitzgerald G.
Smoky bars and restaurants: who avoids them and why?
J Public Health Manag Pract. 1999 Jan;5(1):74-8.
PMID: 10345515
- 35: Biggerstaff BJ, Tweedie RL, Mengersen KL.
Passive smoking in the workplace: classical and Bayesian meta-analyses.
Int Arch Occup Environ Health. 1994;66(4):269-77.
PMID: 7843838
- 36: Binkin N, Perra A, Aprile V, D'Argenzio A, Lopresti S, Mingozi O, Scondotto S.
Effects of a generalised ban on smoking in bars and restaurants, Italy.
Int J Tuberc Lung Dis. 2007 May;11(5):522-7.
PMID: 17439675
- 37: Binková B, Lewtas J, Misková I, Leníček J, Srám R.
DNA adducts and personal air monitoring of carcinogenic polycyclic aromatic hydrocarbons in an environmentally exposed population.
Carcinogenesis. 1995 May;16(5):1037-46.
PMID: 7767962
- 38: Blizzard L, Ponsonby AL, Dwyer T, Venn A, Cochrane JA.
Parental smoking and infant respiratory infection: how important is not smoking in the same room with the baby?
Am J Public Health. 2003 Mar;93(3):482-8.
PMID: 12604500
- 39: Blum A.
Smoking aloft: an illustrated history.
Tob Control. 2004 Mar;13 Suppl 1:i4-7. No abstract available.
PMID: 14985611

- 40: Boffetta P.**
Involuntary smoking and lung cancer.
Scand J Work Environ Health. 2002;28 Suppl 2:30-40.
PMID: 12058801
- 41: Boffetta P, Trédaniel J, Greco A.
 Risk of childhood cancer and adult lung cancer after childhood exposure to passive smoke: A meta-analysis.
 Environ Health Perspect. 2000 Jan;108(1):73-82.
 PMID: 10620527
- 42: Boffetta P, Ahrens W, Nyberg F, Mukeria A, Brüske-Hohlfeld I, Fortes C, Constantinescu V, Simonato L, Batura-Gabryel H, Lea S, Gaborieau V, Benhamou S.
 Exposure to environmental tobacco smoke and risk of adenocarcinoma of the lung.
 Int J Cancer. 1999 Nov 26;83(5):635-9.
 PMID: 10521800
- 43: Bohanon HR Jr, Piadé JJ, Schorp MK, Saint-Jalm Y.**
An international survey of indoor air quality, ventilation, and smoking activity in restaurants: a pilot study.
J Expo Anal Environ Epidemiol. 2003 Sep;13(5):378-92.
PMID: 12973366
- 44: Bolte G, Heitmann D, Kiranoglu M, Schierl R, Diemer J, Koerner W, Fromme H.**
Exposure to environmental tobacco smoke in German restaurants, pubs and discotheques.
J Expo Sci Environ Epidemiol. 2008 May;18(3):262-71. Epub 2007 Jun 13.
PMID: 17565353
- 45: Bono R, Piccioni P, Traversi D, Degan R, Grosa M, Bosello G, Gilli G, Arossa W, Bugiani M.
 Urban air quality and carboxyhemoglobin levels in a group of traffic policemen.
 Sci Total Environ. 2007 Apr 15;376(1-3):109-15. Epub 2007 Feb 26.
 PMID: 17324451
- 46: Bono R, Vincenti M, Schiliro' T, Scursatone E, Pignata C, Gilli G.
 N-Methylvaline in a group of subjects occupationally exposed to formaldehyde.
 Toxicol Lett. 2006 Feb 8;161(1):10-7. Epub 2005 Sep 8.
 PMID: 16153790
- 47: Borland R, Yong HH, Siahpush M, Hyland A, Campbell S, Hastings G, Cummings KM, Fong GT.
 Support for and reported compliance with smoke-free restaurants and bars by smokers in four countries: findings from the International Tobacco Control (ITC) Four Country Survey.
 Tob Control. 2006 Jun;15 Suppl 3:iii34-41.
 PMID: 16754945
- 48: Bourne DM, Shopland DR, Anderson CM, Burns DM.
 Occupational disparities in smoke-free workplace policies in Arkansas.
 J Ark Med Soc. 2004 Nov;101(5):148-54.
 PMID: 15554180
- 49: Bradley TP, Golden AL.
 Tobacco and carcinogens in the workplace.
 Clin Occup Environ Med. 2006;5(1):117-37, x. Review.
 PMID: 16446258

- 50: Brauer M, Mannetje A.
Restaurant smoking restrictions and environmental tobacco smoke exposure.
Am J Public Health. 1998 Dec;88(12):1834-6.
PMID: 9842382
- 51: Brennan FJ.
Passive smoking and coronary heart disease.
Circulation. 1998 May 12;97(18):1871; author reply 1872-3. No abstract available.
PMID: 9603545
- 52: Breslow L, Elashoff R.
Significance of workplace smoking.
Am J Public Health. 1998 Jul;88(7):1011-2. No abstract available.
PMID: 9663141
- 53: Brewer S.
Day at the capitol. Arkansas physicians spend time lobbying local legislators.
J Ark Med Soc. 2001 Apr;97(10):335-7. No abstract available.
PMID: 11269966
- 54: Brown KG.**
Lung cancer and environmental tobacco smoke: occupational risk to nonsmokers.
Environ Health Perspect. 1999 Dec;107 Suppl 6:885-90.
PMID: 10592148
- 55: Brownson RC, Alavanja MC, Caporaso N, Simoes EJ, Chang JC.**
Epidemiology and prevention of lung cancer in nonsmokers.
Epidemiol Rev. 1998;20(2):218-36. Review. No abstract available.
PMID: 9919440
- 56: Bryan-Jones K, Chapman S.
Political dynamics promoting the incremental regulation of secondhand smoke: a case study of New South Wales, Australia.
BMC Public Health. 2006 Jul 21;6:192.
PMID: 16859560
- 57: Burton A.
Bans, bans, good for the heart!
Environ Health Perspect. 2006 Mar;114(3):A154. No abstract available.
PMID: 16528835
- 58: Burton DJ.
'Odd' engineering technology adjusts workers' exposure to tobacco smoke.
Occup Health Saf. 1994 Nov;63(11):19. No abstract available.
PMID: 9156454
- 59: Báez A, Padilla H, García R, Torres Mdel C, Rosas I, Belmont R.
Carbonyl levels in indoor and outdoor air in Mexico City and Xalapa, Mexico.
Sci Total Environ. 2003 Jan 20;302(1-3):211-26.
PMID: 12526910
- 60: Báez AP, Padilla HG, García RM, Belmont RD, Torres Mdel C.
Measurements of carbonyls in a 13-story building.
Environ Sci Pollut Res Int. 2004;11(6):400-4.
PMID: 15603530
- 61: Cameron M, Wakefield M, Trotter L, Inglis G.
Exposure to secondhand smoke at work: a survey of members of the Australian Liquor, Hospitality and Miscellaneous Workers Union.
Aust N Z J Public Health. 2003 Oct;27(5):496-501.
PMID: 14651393

- 62: Caron C, Gjelsvik A, Harvey E.
The Rhode Island Smokefree Public Place and Workplace Law: estimated impact on asthma in the Rhode Island workforce.
Med Health R I. 2005 Mar;88(3):101-2. No abstract available.
PMID: 15915787
- 63: Cenko C, Pisaniello D, Esterman A.**
A study of environmental tobacco smoke in South Australian pubs, clubs and cafes.
Int J Environ Health Res. 2004 Feb;14(1):3-11.
PMID: 14660114
- 64: Centers for Disease Control and Prevention (CDC).
State smoking restrictions for private-sector worksites, restaurants, and bars--United States, 1998 and 2004.
MMWR Morb Mortal Wkly Rep. 2005 Jul 8;54(26):649-53.
PMID: 16001014
- 65: Centers for Disease Control and Prevention (CDC).**
Indoor air quality in hospitality venues before and after implementation of a clean indoor air law--Western New York, 2003.
MMWR Morb Mortal Wkly Rep. 2004 Nov 12;53(44):1038-41.
PMID: 15538318
- 66: Centers for Disease Control and Prevention (CDC).
Observational survey of smoking provisions in food service establishments--Southeast Health District, Georgia, 2001.
MMWR Morb Mortal Wkly Rep. 2003 Apr 11;52(14):307-9.
PMID: 12731701
- 67: Chang C, Leighton J, Mostashari F, McCord C, Frieden TR.
The New York City Smoke-Free Air Act: second-hand smoke as a worker health and safety issue.
Am J Ind Med. 2004 Aug;46(2):188-95.
PMID: 15273972
- 68: Chapman S.
The smoker-free workplace: the case against.
Tob Control. 2005 Apr;14(2):144. No abstract available.
PMID: 15791027
- 69: Chapman S.
"Half-pregnant" occupational health policy on environmental tobacco smoke.
Occup Environ Med. 2004 May;61(5):383-4. No abstract available.
PMID: 15090656
- 70: Chapman S, Borland R, Scollo M, Brownson RC, Dominello A, Woodward S.
The impact of smoke-free workplaces on declining cigarette consumption in Australia and the United States.
Am J Public Health. 1999 Jul;89(7):1018-23.
PMID: 10394309
- 71: Chapman S, Lee NM, Monaem A.
Smoking in restaurants.
Med J Aust. 1998 Jun 15;168(12):637. No abstract available.
PMID: 9673628
- 72: Chappell WR, Gratt LB.
A graphical method for pooling epidemiological studies.
Am J Public Health. 1996 May;86(5):748-50. No abstract available.
PMID: 8629736

- 73: Chen R, Tunstall-Pedoe H, Tavendale R.
Environmental tobacco smoke and lung function in employees who never smoked: the Scottish MONICA study.
Occup Environ Med. 2001 Sep;58(9):563-8. Erratum in: Occup Environ Med 2002 Jan;59(1):64.
PMID: 11511742
- 74: Cheng YJ, Hildesheim A, Hsu MM, Chen IH, Brinton LA, Levine PH, Chen CJ, Yang CS.
Cigarette smoking, alcohol consumption and risk of nasopharyngeal carcinoma in Taiwan.
Cancer Causes Control. 1999 Jun;10(3):201-7.
PMID: 10454065
- 75: Coggins CR.
A prospective study of passive smoking and coronary heart disease.
Circulation. 1998 May 12;97(18):1870-1; author reply 1872-3. No abstract available.
PMID: 9603544
- 76: Coggins CR.
1,3 Butadiene and environmental tobacco smoke.
Circulation. 1997 Jan 7;95(1):275-6. No abstract available.
PMID: 8994448
- 77: Coggins CR.
Estimating exposure to environmental tobacco smoke.
JAMA. 1996 Aug 28;276(8):603; author reply 604. No abstract available.
PMID: 8773625
- 78: Cohet C, Borel S, Nyberg F, Mukeria A, Brüske-Hohlfeld I, Constantinescu V, Benhamou S, Brennan P, Hall J, Boffetta P.
Exon 5 polymorphisms in the O6-alkylguanine DNA alkyltransferase gene and lung cancer risk in non-smokers exposed to second-hand smoke.
Cancer Epidemiol Biomarkers Prev. 2004 Feb;13(2):320-3.
PMID: 14973087
- 79: Collier AC, Dandge SD, Woodrow JE, Pritsos CA.
Differences in DNA-damage in non-smoking men and women exposed to environmental tobacco smoke (ETS).
Toxicol Lett. 2005 Jul 28;158(1):10-9.
PMID: 15871912
- 80: Collier AC, Pritsos CA.**
Environmental tobacco smoke in the workplace: markers of exposure, polymorphic enzymes and implications for disease state.
Chem Biol Interact. 2003 Dec 15;146(3):211-24. Review.
PMID: 14642734
- 81: Conlisk E, Proescholdbell SK, Pan WK.
Support for tobacco control policies among youth in North Carolina.
N C Med J. 2006 May-Jun;67(3):175-9.
PMID: 16846156
- 82: Coombes R.**
One hospitality worker a week dies from passive smoking, study shows.
BMJ. 2004 May 22;328(7450):1222. No abstract available.
PMID: 15155495

- 83: Cope G, Nayyar P, Wilkinson L, Holder R.**
Simple colorimetric test to quantify exposure to environmental tobacco smoke: occupational health study.
Ann Clin Biochem. 2000 Nov;37 (Pt 6):795-6. No abstract available.
PMID: 11085626
- 84: Corti B, Holman CD, Donovan RJ, Coten NJ, Dennis JR, Frizzell SK, Carroll AM.
Public attitudes to smoke-free areas in sports venues.
Med J Aust. 1995 Jun 5;162(11):612. No abstract available.
PMID: 7791652
- 85: Coyle YM.
The effect of environment on breast cancer risk.
Breast Cancer Res Treat. 2004 Apr;84(3):273-88. Review.
PMID: 15026625
- 86: Crain EF, Walter M, O'Connor GT, Mitchell H, Gruchalla RS, Kattan M,
Malindzak GS, Enright P, Evans R 3rd, Morgan W, Stout JW.
Home and allergic characteristics of children with asthma in seven U.S. urban
communities and design of an environmental intervention: the Inner-City Asthma
Study.
Environ Health Perspect. 2002 Sep;110(9):939-45.
PMID: 12204830
- 87: Cramer ME, Mueller KJ, Harrop D.
Evaluation informs coalition programming for environmental tobacco smoke
reduction.
J Community Health Nurs. 2003 Winter;20(4):245-58. Review.
PMID: 14644691
- 88: Daynard RA.
How did we get here?
Tob Control. 2004 Mar;13 Suppl 1:i3. No abstract available.
PMID: 14985610
- 89: de Bilderling G, Chauhan AJ, Jeffs JA, Withers N, Johnston SL, Holgate ST,
Clough JB.
Gas cooking and smoking habits and the risk of childhood and adolescent wheeze.
Am J Epidemiol. 2005 Sep 15;162(6):513-22. Epub 2005 Aug 10.
PMID: 16093293
- 90: de Groh M, Morrison HI.
Environmental tobacco smoke and deaths from coronary heart disease in Canada.
Chronic Dis Can. 2002;23(1):13-6.
PMID: 11876831
- 91: DeBruin LS, Joseph PD.
Perspectives on the chemical etiology of breast cancer.
Environ Health Perspect. 2002 Feb;110 Suppl 1:119-28. Review.
PMID: 11834470
- 92: Dejin-Karlsson E, Ostergren PO.
Psychosocial factors, lifestyle, and fetal growth: the added value of both pre-
and post-natal assessments.
Eur J Public Health. 2003 Sep;13(3):210-7.
PMID: 14533722

- 93: Dejmek J, Solansk y I, Podrazilová K, Srám RJ.
The exposure of nonsmoking and smoking mothers to environmental tobacco smoke during different gestational phases and fetal growth.
Environ Health Perspect. 2002 Jun;110(6):601-6.
PMID: 12055052
- 94: Delfino RJ.
Epidemiologic evidence for asthma and exposure to air toxics: linkages between occupational, indoor, and community air pollution research.
Environ Health Perspect. 2002 Aug;110 Suppl 4:573-89. Review.
PMID: 12194890
- 95: Delfino RJ, Ernst P, Jaakkola MS, Solomon S, Becklake MR.
Questionnaire assessments of recent exposure to environmental tobacco smoke in relation to salivary cotinine.
Eur Respir J. 1993 Sep;6(8):1104-8.
PMID: 8224124**
- 96: den Boon S, Verver S, Marais BJ, Enarson DA, Lombard CJ, Bateman ED, Irusen E, Jithoo A, Gie RP, Borgdorff MW, Beyers N.
Association between passive smoking and infection with Mycobacterium tuberculosis in children.
Pediatrics. 2007 Apr;119(4):734-9.
PMID: 17403844
- 97: Dhala A, Pinsker K, Prezant DJ.
Respiratory health consequences of environmental tobacco smoke.
Clin Occup Environ Med. 2006;5(1):139-56, x. Review.
PMID: 16446259
- 98: Dimich-Ward H, Lawson J, Hingston A, Chan-Yeung M.
Impact of smoking policy on the respiratory health of food and beverage servers.
Scand J Work Environ Health. 2005 Feb;31(1):75-81.
PMID: 15751622**
- 99: Dimich-Ward H, Gee H, Brauer M, Leung V.
Analysis of nicotine and cotinine in the hair of hospitality workers exposed to environmental tobacco smoke.
J Occup Environ Med. 1997 Oct;39(10):946-8.
PMID: 9343759**
- 100: Dimond B.
Smoking and the right to expect a smoke-free environment.
Br J Nurs. 2003 Mar 13-26;12(5):286, 288-9. Review.
PMID: 12682596
- 101: Doull J, Rozman KK, Lowe MC.
Hazard evaluation in risk assessment: whatever happened to sound scientific judgment and weight of evidence?
Drug Metab Rev. 1996 Feb-May;28(1-2):285-99. Review. No abstract available.
PMID: 8744603
- 102: Du YX, Cha Q, Chen XW, Chen YZ, Huang LF, Feng ZZ, Wu XF, Wu JM.
An epidemiological study of risk factors for lung cancer in Guangzhou, China.
Lung Cancer. 1996 Mar;14 Suppl 1:S9-37.
PMID: 8785671

- 103: Duaso MJ, De Irala J, Canga N.
Employee's perceived exposure to environmental tobacco smoke, passive smoking risk beliefs and attitudes towards smoking: a case study in a university setting.
Health Educ Res. 2006 Feb;21(1):26-33. Epub 2005 Jun 9.
PMID: 15947023
- 104: Ducatman AM, McLellan RK.
Epidemiologic basis for an occupational and environmental policy on environmental tobacco smoke.
J Occup Environ Med. 2000 Dec;42(12):1137-41.
PMID: 11125675
- 105: Eagan TM, Hetland J, Aarø LE.
Decline in respiratory symptoms in service workers five months after a public smoking ban.
Tob Control. 2006 Jun;15(3):242-6.
PMID: 16728756
- 106: Edwards PR, van Tongeren M, Watson A, Gee I, Edwards RE.
Environmental tobacco smoke.
Occup Environ Med. 2004 May;61(5):385-6. No abstract available.
PMID: 15090657
- 107: Edwards R, Hasselholdt CP, Hargreaves K, Probert C, Holford R, Hart J, Van Tongeren M, Watson AF.**
Levels of second hand smoke in pubs and bars by deprivation and food-serving status: a cross-sectional study from North West England.
BMC Public Health. 2006 Feb 22;6:42.
PMID: 16504071
- 108: Eisner MD, Wang Y, Haight TJ, Balmes J, Hammond SK, Tager IB.
Secondhand smoke exposure, pulmonary function, and cardiovascular mortality.
Ann Epidemiol. 2007 May;17(5):364-73. Epub 2007 Feb 14.
PMID: 17300955
- 109: Eisner MD, Balmes J, Katz PP, Trupin L, Yelin EH, Blanc PD.**
Lifetime environmental tobacco smoke exposure and the risk of chronic obstructive pulmonary disease.
Environ Health. 2005 May 12;4(1):7.
PMID: 15890079
- 110: Eisner MD.
Environmental tobacco smoke and adult asthma.
Clin Chest Med. 2002 Dec;23(4):749-61. Review.
PMID: 12512163
- 111: Eisner MD, Katz PP, Yelin EH, Hammond SK, Blanc PD.**
Measurement of environmental tobacco smoke exposure among adults with asthma.
Environ Health Perspect. 2001 Aug;109(8):809-14.
PMID: 11564616
- 112: Eisner MD, Smith AK, Blanc PD.**
Bartenders' respiratory health after establishment of smoke-free bars and taverns.
JAMA. 1998 Dec 9;280(22):1909-14.
PMID: 9851475

- 113: Ellingsen DG, Fladseth G, Daae HL, Gjølstad M, Kjaerheim K, Skogstad M, Olsen R, Thorud S, Molander P.
Airborne exposure and biological monitoring of bar and restaurant workers before and after the introduction of a smoking ban.
J Environ Monit. 2006 Mar;8(3):362-8. Epub 2006 Feb 20.
PMID: 16528420
- 114: Emmons KM, Thompson B, Feng Z, Hebert JR, Heimendinger J, Linnan L.
Dietary intake and exposure to environmental tobacco smoke in a worksite population.
Eur J Clin Nutr. 1995 May;49(5):336-45.
PMID: 7664719
- 115: Emmons KM, Hammond SK, Abrams DB.
Smoking at home: the impact of smoking cessation on nonsmokers' exposure to environmental tobacco smoke.
Health Psychol. 1994 Nov;13(6):516-20.
PMID: 7889906
- 116: Emmons KM, Abrams DB, Marshall RJ, Etzel RA, Novotny TE, Marcus BH, Kane ME.
Exposure to environmental tobacco smoke in naturalistic settings.
Am J Public Health. 1992 Jan;82(1):24-8.
PMID: 1536329
- 117: Emont SL, Zahniser SC, Marcus SE, Trontell AE, Mills S, Frazier EL, Waller MN, Giovino GA.
Evaluation of the 1990 Centers for Disease Control and Prevention smoke-free policy.
Am J Health Promot. 1995 Jul-Aug;9(6):456-61.
PMID: 10150536
- 118: Erick-Peleti S, Paterson J, Williams M.
Pacific Islands Families Study: maternal factors associated with cigarette smoking amongst a cohort of Pacific mothers with infants.
N Z Med J. 2007 Jun 15;120(1256):U2588.
PMID: 17589556
- 119: Farrelly MC, Nonnemaker JM, Chou R, Hyland A, Peterson KK, Bauer UE.
Changes in hospitality workers' exposure to secondhand smoke following the implementation of New York's smoke-free law.
Tob Control. 2005 Aug;14(4):236-41.
PMID: 16046685
- 120: Feigelman W, Lee JA.
Are Americans receptive to smokefree bars?
J Psychoactive Drugs. 2006 Jun;38(2):133-41.
PMID: 16903452
- 121: Felber Dietrich D, Schwartz J, Schindler C, Gaspoz JM, Barthélémy JC, Tschopp JM, Roche F, von Eckardstein A, Brändli O, Leuenberger P, Gold DR, Ackermann-Lieblich U; SAPALDIA-team.
Effects of passive smoking on heart rate variability, heart rate and blood pressure: an observational study.
Int J Epidemiol. 2007 Aug;36(4):834-40. Epub 2007 Apr 17.
PMID: 17440032
- 122: Fidan F, Guven H, Eminoglu O, Kalkan S, Ergor G, Cimrin A.
Turkish coffeehouse kahvehane is an important tobacco smoke exposure area in Turkey.
J Toxicol Environ Health A. 2005 Aug 27;68(16):1371-7.
PMID: 16009651

- 123: Fidan F, Cimrin AH, Ergor G, Sevinc C.
Airway disease risk from environmental tobacco smoke among coffeehouse workers in Turkey.
Tob Control. 2004 Jun;13(2):161-6.
PMID: 15175534
- 124: Flodin U, Jönsson P, Ziegler J, Axelson O.
An epidemiologic study of bronchial asthma and smoking.
Epidemiology. 1995 Sep;6(5):503-5.
PMID: 8562626
- 125: Fogelholm R.
Cancer among airline cabin attendants. Risk due to active and passive smoking should have been mentioned.
BMJ. 1996 Jan 6;312(7022):53; author reply 53-4. No abstract available.
PMID: 8555873
- 126: Fong GT, Hyland A, Borland R, Hammond D, Hastings G, McNeill A, Anderson S, Cummings KM, Allwright S, Mulcahy M, Howell F, Clancy L, Thompson ME, Connolly G, Driezen P.
Reductions in tobacco smoke pollution and increases in support for smoke-free public places following the implementation of comprehensive smoke-free workplace legislation in the Republic of Ireland: findings from the ITC Ireland/UK Survey.
Tob Control. 2006 Jun;15 Suppl 3:iii51-8.
PMID: 16754947
- 127: Forastiere F, Mallone S, Lo Presti E, Baldacci S, Pistelli F, Simoni M, Scalera A, Pedreschi M, Pistelli R, Corbo G, Rapiti E, Agabiti N, Farchi S, Basso S, Chiaffi L, Matteelli G, Di Pede F, Carrozzi L, Viegi G.
Characteristics of nonsmoking women exposed to spouses who smoke: epidemiologic study on environment and health in women from four Italian areas.
Environ Health Perspect. 2000 Dec;108(12):1171-7.
PMID: 11133398
- 128: Ford JA.
Protecting workers in licensed premises from the effects of secondhand smoke.
Occup Med (Lond). 2005 Dec;55(8):583-5. No abstract available.
PMID: 16314326
- 129: Fowles J, Christophersen A, Fernando D, Lea R, Woodward A, Dickson S, Hosking M, Berezowski R.**
Secondhand tobacco smoke exposure in New Zealand bars: results prior to implementation of the bar smoking ban.
N Z Med J. 2006 Apr 21;119(1232):U1931.
PMID: 16633390
- 130: Fowles J, Dybing E.
Application of toxicological risk assessment principles to the chemical constituents of cigarette smoke.
Tob Control. 2003 Dec;12(4):424-30. Review.
PMID: 14660781
- 131: Fracasso ME, Doria D, Franceschetti P, Perbellini L, Romeo L.
DNA damage and repair capacity by comet assay in lymphocytes of white-collar active smokers and passive smokers (non- and ex-smokers) at workplace.
Toxicol Lett. 2006 Dec 1;167(2):131-41. Epub 2006 Sep 14.
PMID: 17027201

- 132: Friedman LS, Lukyanova OM, Kundiev YI, Shkiryak-Nizhnyk ZA, Chislovska NV, Mucha A, Zvinchuk AV, Oliynyk I, Hryhorczuk D.
Predictors of elevated blood lead levels among 3-year-old Ukrainian children: a nested case-control study.
Environ Res. 2005 Oct;99(2):235-42. Epub 2005 Jan 21.
PMID: 16194673
- 133: Friis RH, Safer AM.
Analysis of responses of Long Beach, California residents to the Smoke-free Bars Law.
Public Health. 2005 Dec;119(12):1116-21. Epub 2005 Oct 7.
PMID: 16214188
- 134: Fukuda K, Shibata A.
Exposure-response relationships between woodworking, smoking or passive smoking, and squamous cell neoplasms of the maxillary sinus.
Cancer Causes Control. 1990 Sep;1(2):165-8.
PMID: 2102286
- 135: Földes-Papp Z, Domej W, Wippel R, Schlagenhaufen C, Irgolic KJ, Demel U, Dimai HP, Tilz GP.
Reconstructed mass-spectrometric pattern for characterization of carbon compounds in smoker's lung in situ.
Environ Sci Pollut Res Int. 2003;10(6):350-3.
PMID: 14690022
- 136: Gallicchio L, Kouzis A, Genkinger JM, Burke AE, Hoffman SC, Diener-West M, Helzlsouer KJ, Comstock GW, Alberg AJ.
Active cigarette smoking, household passive smoke exposure, and the risk of developing pancreatic cancer.
Prev Med. 2006 Mar;42(3):200-5. Epub 2006 Feb 3.
PMID: 16458957
- 137: Garg A, Serwint JR, Higman S, Kanof A, Schell D, Colon I, Butz AM.
Self-efficacy for smoking cessation counseling parents in primary care: an office-based intervention for pediatricians and family physicians.
Clin Pediatr (Phila). 2007 Apr;46(3):252-7.
PMID: 17416882
- 138: Garvey J.
Developing an integrated approach to SBS (Sick Building Syndrome).
Occup Health (Lond). 1994 Feb;46(2):50-3. No abstract available.
PMID: 8127552
- 139: Gee IL, Watson AF, Carrington J, Edwards PR, van Tongeren M, McElduff P, Edwards RE.
Second-hand smoke levels in UK pubs and bars: do the English Public Health White Paper proposals go far enough?
J Public Health (Oxf). 2006 Mar;28(1):17-23. Epub 2006 Jan 25.
PMID: 16436445**
- 140: Geier GR.
Nail the coffin on "coffin nails".
Minn Med. 2007 Feb;90(2):20. No abstract available.
PMID: 17388254
- 141: Geier GR.
Smoking or non?
Minn Med. 2004 Nov;87(11):14. No abstract available.
PMID: 15615194

- 142: Ger LP, Hsu WL, Chen KT, Chen CJ.
Risk factors of lung cancer by histological category in Taiwan.
Anticancer Res. 1993 Sep-Oct;13(5A):1491-500.
PMID: 8239527
- 143: Gerhardsson de Verdier M, Plato N, Steineck G, Peters JM.
Occupational exposures and cancer of the colon and rectum.
Am J Ind Med. 1992;22(3):291-303.
PMID: 1519614
- 144: Gilliland FD, Islam T, Berhane K, Gauderman WJ, McConnell R, Avol E, Peters JM.
Regular smoking and asthma incidence in adolescents.
Am J Respir Crit Care Med. 2006 Nov 15;174(10):1094-100. Epub 2006 Sep 14.
PMID: 16973983
- 145: Gilpin EA, Farkas AJ, Emery SL, Ake CF, Pierce JP.
Clean indoor air: advances in California, 1990-1999.
Am J Public Health. 2002 May;92(5):785-91.
PMID: 11988448
- 146: Givel M.
Neoliberal and public health effects of failing to adopt OSHA's national secondhand tobacco smoke rule.
Int J Health Serv. 2006;36(1):137-55.
PMID: 16524168
- 147: Glantz SA, Jamieson P.
Attitudes toward secondhand smoke, smoking, and quitting among young people.
Pediatrics. 2000 Dec;106(6):E82.
PMID: 11099625
- 148: Glantz SA, Charlesworth A.
Tourism and hotel revenues before and after passage of smoke-free restaurant ordinances.
JAMA. 1999 May 26;281(20):1911-8.
PMID: 10349895
- 149: Glantz SA.
Smoke-free restaurant ordinances do not affect restaurant business. Period.
J Public Health Manag Pract. 1999 Jan;5(1):vi-ix. No abstract available.
PMID: 10345506
- 150: Glantz SA, Parmley WW.
Passive and active smoking. A problem for adults.
Circulation. 1996 Aug 15;94(4):596-8. Review. No abstract available.
PMID: 8772672
- 151: Godfrey F.
Hold the front page: smoking bans good for (most) workers' health.
Am J Respir Crit Care Med. 2007 Apr 15;175(8):751-3. No abstract available.
PMID: 17405940
- 152: Goel P, Radotra A, Singh I, Aggarwal A, Dua D.
Effects of passive smoking on outcome in pregnancy.
J Postgrad Med. 2004 Jan-Mar;50(1):12-6.
PMID: 15047992
- 153: Goh LG.
Smoking restriction in workplaces.
Singapore Med J. 1994 Jun;35(3):245-6. No abstract available.
PMID: 7997895

- 154: Gold DR, Damokosh AI, Dockery DW, Berkey CS.
Body-mass index as a predictor of incident asthma in a prospective cohort of children.
Pediatr Pulmonol. 2003 Dec;36(6):514-21.
PMID: 14618644
- 155: Goldman L.
Tobacco: the road to litigation, 1995.
Addiction. 1995 Dec;90(12):1581-6. No abstract available.
PMID: 8555945
- 156: Goldstein AO, Sobel RA.
Environmental tobacco smoke regulations have not hurt restaurant sales in North Carolina.
N C Med J. 1998 Sep-Oct;59(5):284-7. No abstract available.
PMID: 9785900
- 157: Goodman MT, Tung KH.
Active and passive tobacco smoking and the risk of borderline and invasive ovarian cancer (United States).
Cancer Causes Control. 2003 Aug;14(6):569-77.
PMID: 12948288
- 158: Goodman P, Agnew M, McCaffrey M, Paul G, Clancy L.
Effects of the Irish smoking ban on respiratory health of bar workers and air quality in Dublin pubs.
Am J Respir Crit Care Med. 2007 Apr 15;175(8):840-5. Epub 2007 Jan 4.
PMID: 17204724
- 159: Gori GB.
Passive smoking and coronary heart disease.
Circulation. 1998 May 12;97(18):1871-2; author reply 1872-3. No abstract available.
PMID: 9603546
- 160: Gorini G, Gasparrini A, Fondelli MC, Costantini AS, Centrich F, Lopez MJ, Nebot M, Tamang E.
Environmental tobacco smoke (ets) exposure in Florence hospitality venues before and after the smoking ban in Italy.
J Occup Environ Med. 2005 Dec;47(12):1208-10; author reply 1210. No abstract available.
PMID: 16340698
- 161: Gourgoulianis KI, Gogou E, Hamos V, Molyvdas PA.
Indoor maternal smoking doubles adolescents' exhaled carbon monoxide.
Acta Paediatr. 2002;91(6):712-3.
PMID: 12162607**
- 162: Gray N.
The ethics of policies for the prevention of tobacco disease.
Acta Oncol. 2004;43(1):8-10. Review.
PMID: 15068313
- 163: Gray NJ.
The case for smoker-free workplaces.
Tob Control. 2005 Apr;14(2):143-4. No abstract available.
PMID: 15791026

- 164: Greer JR, Abbey DE, Burchette RJ.
Asthma related to occupational and ambient air pollutants in nonsmokers.
J Occup Med. 1993 Sep;35(9):909-15.
PMID: 8229343
- 165: Guo X, Ko JK, Mei QB, Cho CH.
Aggravating effect of cigarette smoke exposure on experimental colitis is associated with leukotriene B(4) and reactive oxygen metabolites.
Digestion. 2001;63(3):180-7.
PMID: 11351145
- 166: Guse CE, Marbella AM, Layde PM, Christiansen A, Remington P.
Clean indoor air policies in Wisconsin workplaces.
WMJ. 2004;103(4):27-31.
PMID: 15481867
- 167: Hahn EJ, Rayens MK, York N, Okoli CT, Zhang M, Dignan M, Al-Delaimy WK.
Effects of a smoke-free law on hair nicotine and respiratory symptoms of restaurant and bar workers.
J Occup Environ Med. 2006 Sep;48(9):906-13.
PMID: 16966957
- 168: Halpern-Felsher BL, Rubinstein ML.
Clear the air: adolescents' perceptions of the risks associated with secondhand smoke.
Prev Med. 2005 Jul;41(1):16-22. Epub 2004 Dec 19.
PMID: 15916988
- 169: Halterman JS, Fagnano M, Conn KM, Szilagyi PG.
Do parents of urban children with persistent asthma ban smoking in their homes and cars?
Ambul Pediatr. 2006 Mar-Apr;6(2):115-9.
PMID: 16530150
- 170: Hammond SK.**
Exposure of U.S. workers to environmental tobacco smoke.
Environ Health Perspect. 1999 May;107 Suppl 2:329-40. Review.
PMID: 10350518
- 171: Hammond SK, Sorensen G, Youngstrom R, Ockene JK.**
Occupational exposure to environmental tobacco smoke.
JAMA. 1995 Sep 27;274(12):956-60.
PMID: 7674526
- 172: Hannöver W, Thyrian JR, Röske K, Kelbsch J, John U, Hapke U.
[Interventions to prevent health risks due to tobacco smoke in pregnant women, postpartum women and their infants]
Gesundheitswesen. 2004 Oct;66(10):688-96. Review. German.
PMID: 15499514
- 173: Hardin B.
Clearing the air.
Occup Health Saf. 1992 Feb;61(2):24. No abstract available.
PMID: 1565407
- 174: Harik-Khan RI, Muller DC, Wise RA.
Serum vitamin levels and the risk of asthma in children.
Am J Epidemiol. 2004 Feb 15;159(4):351-7.
PMID: 14769638

- 175: Harnish KE, Butterfield P, Hill WG.
Does Dixon's Integrative Environmental Health Model inform an understanding of rural parents' perceptions of local environmental health risks?
Public Health Nurs. 2006 Sep-Oct;23(5):465-71.
PMID: 16961565
- 176: Harper T, Martin J.
Trojan horses: how the tobacco industry infiltrates the smokefree debate in Australia.
Aust N Z J Public Health. 2002 Dec;26(6):572-3. No abstract available.
PMID: 12530804
- 177: Harvey HD, Fleming P, Patterson M.
Ethical dilemmas and human rights considerations arising from the evaluation of a smoking policy in a health promoting setting.
Int J Environ Health Res. 2002 Sep;12(3):269-75.
PMID: 12396527
- 178: Harvey HD, Fleming P, Patterson M.
A rapid appraisal method for reviewing the effectiveness of workplace smoking policies in large and medium sized organisations.
J R Soc Health. 2001 Mar;121(1):50-5.
PMID: 11329698
- 179: Hatsukami DK, Benowitz NL, Rennard SI, Oncken C, Hecht SS.
Biomarkers to assess the utility of potential reduced exposure tobacco products. Nicotine Tob Res. 2006 Apr;8(2):169-91. Review. Corrected and republished in: Nicotine Tob Res. 2006 Aug;8(4):600-22.
PMID: 16766411**
- 180: Hatsukami DK, Hecht SS, Hennrikus DJ, Joseph AM, Pentel PR.
Biomarkers of tobacco exposure or harm: application to clinical and epidemiological studies. 25-26 October 2001, Minneapolis, Minnesota.
Nicotine Tob Res. 2003 Jun;5(3):387-96.
PMID: 12791522
- 181: Hayashi Y.
Designing in vitro assay systems for hazard characterization. basic strategies and related technical issues.
Exp Toxicol Pathol. 2005 Jul;57 Suppl 1:227-32. Review.
PMID: 16092730
- 182: Hays SP.
Secondhand tobacco smoke and municipal smokefree ordinances: attitudes of restaurant and bar owners and managers.
J Drug Educ. 2006;36(4):279-95.
PMID: 17533802
- 183: Hazelton WD, Clements MS, Moolgavkar SH.
Multistage carcinogenesis and lung cancer mortality in three cohorts.
Cancer Epidemiol Biomarkers Prev. 2005 May;14(5):1171-81.
PMID: 15894668
- 184: He Y, Lam TH, Li LS, Li LS, Du RY, Jia GL, Huang JY, Zheng JS.
Passive smoking at work as a risk factor for coronary heart disease in Chinese women who have never smoked.
BMJ. 1994 Feb 5;308(6925):380-4.
PMID: 8124145

- 185: Hedley AJ, McGhee SM, Repace JL, Wong LC, Yu MY, Wong TW, Lam TH.**
Risks for heart disease and lung cancer from passive smoking by workers in the catering industry.
Toxicol Sci. 2006 Apr;90(2):539-48. Epub 2006 Jan 20.
PMID: 16428261
- 186: Heloma A, Jaakkola MS.
Four-year follow-up of smoke exposure, attitudes and smoking behaviour following enactment of Finland's national smoke-free work-place law.
Addiction. 2003 Aug;98(8):1111-7.
PMID: 12873245
- 187: Heloma A, Jaakkola MS, Kähkönen E, Reijula K.
The short-term impact of national smoke-free workplace legislation on passive smoking and tobacco use.
Am J Public Health. 2001 Sep;91(9):1416-8. Erratum in: Am J Public Health 2001 Dec;91(12):1920.
PMID: 11527773
- 188: Heloma A, Kähkönen E, Kaleva S, Reijula K.
Smoking and exposure to tobacco smoke at medium-sized and large-scale workplaces.
Am J Ind Med. 2000 Feb;37(2):214-20.
PMID: 10615102
- 189: Henschen M, Frischer T, Pracht T, Spiekerkötter E, Karmaus W, Meinert R, Lehnert W, Wehrle E, Kuehr J.
The internal dose of passive smoking at home depends on the size of the dwelling.
Environ Res. 1997 Jan;72(1):65-71.
PMID: 9012373
- 190: International Early Lung Cancer Action Program Investigators, Henschke CI, Yankelevitz DF, Libby DM, Pasmantier MW, Smith JP, Miettinen OS.
Survival of patients with stage I lung cancer detected on CT screening.
N Engl J Med. 2006 Oct 26;355(17):1763-71. Erratum in: N Engl J Med. 2008 Apr 24;358(17):1862. N Engl J Med. 2008 Apr 24;358(17):1875. N Engl J Med. 2008 Aug 21;359(8):877.
PMID: 17065637
- 191: Hirayama T.
Non-smoking wives of heavy smokers have a higher risk of lung cancer: a study from Japan. 1981.
Bull World Health Organ. 2000;78(7):940-2. No abstract available.
PMID: 10994269
- 192: Hirschhorn N, Bialous SA.
Second hand smoke and risk assessment: what was in it for the tobacco industry?
Tob Control. 2001 Dec;10(4):375-82.
PMID: 11740031
- 193: Ho SY, Lam TH, Chung SF, Lam TP.
Cross-sectional and prospective associations between passive smoking and respiratory symptoms at the workplace.
Ann Epidemiol. 2007 Feb;17(2):126-31. Epub 2006 Oct 5.
PMID: 17027296
- 194: Holowaty EJ, Risch HA, Miller AB, Burch JD.
Lung cancer in women in the Niagara Region, Ontario: a case-control study.
Can J Public Health. 1991 Sep-Oct;82(5):304-9.
PMID: 1768987

- 195: Howard DJ, Ota RB, Briggs LA, Hampton M, Pritsos CA.**
Oxidative stress induced by environmental tobacco smoke in the workplace is mitigated by antioxidant supplementation.
Cancer Epidemiol Biomarkers Prev. 1998 Nov;7(11):981-8.
PMID: 9829705
- 196: Howard G, Thun MJ.
Why is environmental tobacco smoke more strongly associated with coronary heart disease than expected? A review of potential biases and experimental data.
Environ Health Perspect. 1999 Dec;107 Suppl 6:853-8. Review.
PMID: 10592142
- 197: Howard G, Wagenknecht LE.
Environmental tobacco smoke and measures of subclinical vascular disease.
Environ Health Perspect. 1999 Dec;107 Suppl 6:837-40. Review.
PMID: 10592139
- 198: Hozawa A, Houston T, Steffes MW, Widome R, Williams OD, Iribarren C, Pletcher MJ, Daviglius ML, Carr JJ, Jacobs DR Jr.
The association of cigarette smoking with self-reported disease before middle age: the Coronary Artery Risk Development in Young Adults (CARDIA) study.
Prev Med. 2006 Mar;42(3):193-9. Epub 2006 Feb 15.
PMID: 16480762
- 199: Hu J, Mao Y, Dryer D, White K; Canadian Cancer Registries Epidemiology Research Group.
Risk factors for lung cancer among Canadian women who have never smoked.
Cancer Detect Prev. 2002;26(2):129-38.
PMID: 12102147
- 200: Hudgins JF, Karetzky MS.
Cardiopulmonary effects of environmental tobacco smoke.
N J Med. 1994 Oct;91(10):702-4. Review.
PMID: 7800283
- 201: Hyde JN, Brugge D, Repace J, Rand W.
Assessment of sources of second-hand smoke exposure in a putatively unexposed population.
Arch Environ Health. 2004 Nov;59(11):553-7.
PMID: 16599002
- 202: Hyland A, Higbee C, Hassan L, Fong GT, Borland R, Cummings KM, Hastings G.
Does smoke-free Ireland have more smoking inside the home and less in pubs than the United Kingdom? Findings from the international tobacco control policy evaluation project.
Eur J Public Health. 2008 Feb;18(1):63-5. Epub 2007 Jun 14.
PMID: 17569698
- 203: Hyland A, Tuk J.
Restaurant employment boom in New York City.
Tob Control. 2001 Jun;10(2):199. No abstract available.
PMID: 11428375
- 204: Hyland A, Vena C, Cummings KM, Lubin A.
The effect of the clean air act of Erie County, New York on restaurant employment.
J Public Health Manag Pract. 2000 Nov;6(6):76-85.
PMID: 18019963

- 205: Hyland A, Cummings KM, Wilson MP.
Compliance with the New York City Smoke-Free Air Act.
J Public Health Manag Pract. 1999 Jan;5(1):43-52.
PMID: 10345512
- 206: Hyland A, Cummings KM.
Restaurateur reports of the economic impact of the New York City Smoke-Free Air Act.
J Public Health Manag Pract. 1999 Jan;5(1):37-42.
PMID: 10345511
- 207: Hyland A, Cummings KM.
Consumer response to the New York City Smoke-Free Air Act.
J Public Health Manag Pract. 1999 Jan;5(1):28-36.
PMID: 10345510
- 208: Hyland A, Cummings KM.
Restaurant employment before and after the New York City Smoke-Free Air Act.
J Public Health Manag Pract. 1999 Jan;5(1):22-7.
PMID: 10345509
- 209: Hyland A, Cummings KM, Nauenberg E.
Analysis of taxable sales receipts: was New York City's Smoke-Free Air Act bad for restaurant business?
J Public Health Manag Pract. 1999 Jan;5(1):14-21.
PMID: 10345508
- 210: Hyvärinen MJ, Rothberg M, Kähkönen E, Mielo T, Reijula K.**
Nicotine and 3-ethenylpyridine concentrations as markers for environmental tobacco smoke in restaurants.
Indoor Air. 2000 Jun;10(2):121-5.
PMID: 11980101
- 211: Iribarren C, Darbinian J, Klatsky AL, Friedman GD.
Cohort study of exposure to environmental tobacco smoke and risk of first ischemic stroke and transient ischemic attack.
Neuroepidemiology. 2004 Jan-Apr;23(1-2):38-44.
PMID: 14739566
- 212: Iribarren C, Friedman GD, Klatsky AL, Eisner MD.
Exposure to environmental tobacco smoke: association with personal characteristics and self reported health conditions.
J Epidemiol Community Health. 2001 Oct;55(10):721-8.
PMID: 11553655
- 213: Iwase A, Aiba M, Kira S.**
Respiratory nicotine absorption in non-smoking females during passive smoking.
Int Arch Occup Environ Health. 1991;63(2):139-43.
PMID: 1889884
- 214: Jaakkola MS, Jaakkola JJ.**
Impact of smoke-free workplace legislation on exposures and health: possibilities for prevention.
Eur Respir J. 2006 Aug;28(2):397-408. Review. Erratum in: Eur Respir J. 2006 Oct;28(4):887-8.
PMID: 16880370

- 215: Jaakkola MS, Piipari R, Jaakkola N, Jaakkola JJ.
Environmental tobacco smoke and adult-onset asthma: a population-based incident case-control study.
Am J Public Health. 2003 Dec;93(12):2055-60.
PMID: 14652334
- 216: Jaakkola MS, Jaakkola JJ.
Effects of environmental tobacco smoke on the respiratory health of adults.
Scand J Work Environ Health. 2002;28 Suppl 2:52-70.
PMID: 12058803
- 217: Jaakkola MS, Samet JM.**
Summary: workshop on health risks attributable to ETS exposure in the workplace.
Environ Health Perspect. 1999 Dec;107 Suppl 6:823-8.
PMID: 10592151
- 218: Jaakkola MS, Samet JM.**
Occupational exposure to environmental tobacco smoke and health risk assessment.
Environ Health Perspect. 1999 Dec;107 Suppl 6:829-35.
PMID: 10592138
- 219: Jaakkola MS, Jaakkola JJ, Becklake MR, Ernst P.
Passive smoking and evolution of lung function in young adults. An 8-year longitudinal study.
J Clin Epidemiol. 1995 Mar;48(3):317-27.
PMID: 7897453
- 220: Jabara R, Namouz S, Kark JD, Lotan C.
Risk characteristics of Arab and Jewish women with coronary heart disease in Jerusalem.
Isr Med Assoc J. 2007 Apr;9(4):316-20.
PMID: 17491229
- 221: Jackman RP, Willette PN, White D, Krizek SM.
Minimizing exposure to passive smoke in the enclosed environment of U.S. submarines.
Aviat Space Environ Med. 2004 Jan;75(1):60-4.
PMID: 14736134
- 222: Jahn O.
[Passive smoking, a risk factor for lung carcinoma?]
Wien Klin Wochenschr. 1996;108(18):570-3. Review. German.
PMID: 9012140
- 223: Jarvis MJ, Foulds J, Feyerabend C.**
Exposure to passive smoking among bar staff.
Br J Addict. 1992 Jan;87(1):111-3.
PMID: 1543931
- 224: Jemal A, Cokkinides VE, Shafey O, Thun MJ.
Lung cancer trends in young adults: an early indicator of progress in tobacco control (United States).
Cancer Causes Control. 2003 Aug;14(6):579-85.
PMID: 12948289
- 225: Jenkins RA, Finn D, Tomkins BA, Maskarinec MP.
Environmental tobacco smoke in the nonsmoking section of a restaurant: a case study.
Regul Toxicol Pharmacol. 2001 Dec;34(3):213-20.
PMID: 11754526

- 226: Jenkins RA, Counts RW.
Personal exposure to environmental tobacco smoke: salivary cotinine, airborne nicotine, and nonsmoker misclassification.
J Expo Anal Environ Epidemiol. 1999 Jul-Aug;9(4):352-63.
PMID: 10489160
- 227: **Jenkins RA, Counts RW.**
Occupational exposure to environmental tobacco smoke: results of two personal exposure studies.
Environ Health Perspect. 1999 May;107 Suppl 2:341-8.
PMID: 10350519
- 228: **Jenkins RA, Palausky MA, Counts RW, Guerin MR, Dindal AB, Bayne CK.**
Determination of personal exposure of non-smokers to environmental tobacco smoke in the United States.
Lung Cancer. 1996 Mar;14 Suppl 1:S195-213.
PMID: 8785663
- 229: Jochelson K.
Smoke-free legislation and mental health units: the challenges ahead.
Br J Psychiatry. 2006 Dec;189:479-80.
PMID: 17139029
- 230: **Johnson KC, Hu J, Mao Y; Canadian Cancer Registries Epidemiology Research Group.**
Lifetime residential and workplace exposure to environmental tobacco smoke and lung cancer in never-smoking women, Canada 1994-97.
Int J Cancer. 2001 Sep;93(6):902-6.
PMID: 11519055
- 231: Johnson KC, Repace J.
Lung cancer and passive smoking. Turning over the wrong stone.
BMJ. 2000 Nov 11;321(7270):1221; author reply 1222-3. No abstract available.
PMID: 11073521
- 232: Johnson KC.
Status report. National enhanced cancer surveillance system: a federal-provincial collaboration to examine environmental cancer risks.
Chronic Dis Can. 2000;21(1):34-5. No abstract available.
PMID: 10813693
- 233: **Johnsson T, Tuomi T, Riuttala H, Hyvärinen M, Rothberg M, Reijula K.**
Environmental tobacco smoke in Finnish restaurants and bars before and after smoking restrictions were introduced.
Ann Occup Hyg. 2006 Jun;50(4):331-41. Epub 2006 Mar 1.
PMID: 16510489
- 234: **Johnsson T, Tuomi T, Hyvärinen M, Svinhufvud J, Rothberg M, Reijula K.**
Occupational exposure of non-smoking restaurant personnel to environmental tobacco smoke in Finland.
Am J Ind Med. 2003 May;43(5):523-31.
PMID: 12704625
- 235: Jones K, Wakefield M, Turnbull DA.
Attitudes and experiences of restaurateurs regarding smoking bans in Adelaide, South Australia.
Tob Control. 1999 Spring;8(1):62-6.
PMID: 10465818

- 236: Jones S, Love C, Thomson G, Green R, Howden-Chapman P.
Second-hand smoke at work: the exposure, perceptions and attitudes of bar and restaurant workers to environmental tobacco smoke.
Aust N Z J Public Health. 2001;25(1):90-3.
PMID: 11297311
- 237: Jordan TR, Price JH, Dake JA, Shah S.
Adolescent exposure to and perceptions of environmental tobacco smoke.
J Sch Health. 2005 May;75(5):178-86.
PMID: 15989087
- 238: Jousilahti P, Patja K, Salomaa V.
Environmental tobacco smoke and the risk of cardiovascular disease.
Scand J Work Environ Health. 2002;28 Suppl 2:41-51.
PMID: 12058802
- 239: Kabat GC.
Recent developments in the epidemiology of lung cancer.
Semin Surg Oncol. 1993 Mar-Apr;9(2):73-9. Review.
PMID: 8488359
- 240: Kannegaard PN, Kreiner S, Gregersen P, Goldstein H.
Smoking habits and attitudes to smoking 2001 among hospital staff at a Danish hospital--comparison with a similar study 1999.
Prev Med. 2005 Jul;41(1):321-7.
PMID: 15917028
- 241: Kasim K, Levallois P, Abdous B, Auger P, Johnson KC; Canadian Cancer Registries Epidemiology Research Group.
Environmental tobacco smoke and risk of adult leukemia.
Epidemiology. 2005 Sep;16(5):672-80.
PMID: 16135944
- 242: Kasim K, Levallois P, Abdous B, Auger P, Johnson KC.
Lifestyle factors and the risk of adult leukemia in Canada.
Cancer Causes Control. 2005 Jun;16(5):489-500.
PMID: 15986104
- 243: Kawachi I, Colditz GA.**
Workplace exposure to passive smoking and risk of cardiovascular disease: summary of epidemiologic studies.
Environ Health Perspect. 1999 Dec;107 Suppl 6:847-51. Review.
PMID: 10592141
- 244: Keller R, Prinz-Kaltenborn R, Krebs H, Hornung R.
Exposure to and annoyance with second-hand smoke in Switzerland: results of the Tobacco Monitoring survey.
Soz Praventivmed. 2005;50(6):370-7.
PMID: 16398099
- 245: Khuder SA, Simon VJ Jr.
Is there an association between passive smoking and breast cancer?
Eur J Epidemiol. 2000;16(12):1117-21.
PMID: 11484800
- 246: Kiechl S, Werner P, Egger G, Oberhollenzer F, Mayr M, Xu Q, Poewe W, Willeit J.
Active and passive smoking, chronic infections, and the risk of carotid atherosclerosis: prospective results from the Bruneck Study.
Stroke. 2002 Sep;33(9):2170-6.
PMID: 12215582

- 247: Kiser D, Boschert T.
Eliminating smoking in bars, restaurants, and gaming clubs in California: BREATH, the California Smoke-Free Bar Program.
J Public Health Policy. 2001;22(1):81-7.
PMID: 11382091
- 248: Klepeis NE.**
An introduction to the indirect exposure assessment approach: modeling human exposure using microenvironmental measurements and the recent National Human Activity Pattern Survey.
Environ Health Perspect. 1999 May;107 Suppl 2:365-74. Review.
PMID: 10350522
- 249: Klepeis NE.**
Validity of the uniform mixing assumption: determining human exposure to environmental tobacco smoke.
Environ Health Perspect. 1999 May;107 Suppl 2:357-63.
PMID: 10350521
- 250: Koh YH, Voo YO, Yong LS.
Smoking restrictions in private workplaces in Singapore.
Singapore Med J. 1994 Jun;35(3):250-6.
PMID: 7997897
- 251: Kohli HS.
Smoke-free public places in Scotland.
Natl Med J India. 2006 Mar-Apr;19(2):106-7. No abstract available.
PMID: 16756203
- 252: Korte JE, Hertz-Picciotto I, Schulz MR, Ball LM, Duell EJ.
The contribution of benzene to smoking-induced leukemia.
Environ Health Perspect. 2000 Apr;108(4):333-9.
PMID: 10753092
- 253: Kotani K, Osaki Y, Kurozawa Y, Kishimoto T.
Insufficient smoking restrictions in restaurants around junior high schools in Japan.
Tohoku J Exp Med. 2006 Dec;210(4):349-53.
PMID: 17146201
- 254: Kotani K, Osaki Y, Kurozawa Y, Kishimoto T.
A survey of restaurant smoking restrictions in a Japanese city.
Tohoku J Exp Med. 2005 Sep;207(1):73-9.
PMID: 16082158
- 255: Kottke TE, Aase LA, Brandel CL, Brekke MJ, Brekke LN, DeBoer SW, Hayes SN, Hoffman RS, Menzel PA, Thomas RJ.
Attitudes of Olmsted County, Minnesota, residents about tobacco smoke in restaurants and bars.
Mayo Clin Proc. 2001 Feb;76(2):134-7.
PMID: 11213300
- 256: Kress B.
Flight Attendant Medical Research Institute (FAMRI).
Tob Control. 2004 Mar;13 Suppl 1:i67-9. No abstract available.
PMID: 14985620

- 257: Kreuzer M, Gerken M, Kreienbrock L, Wellmann J, Wichmann HE.**
Lung cancer in lifetime nonsmoking men - results of a case-control study in Germany.
Br J Cancer. 2001 Jan 5;84(1):134-40.
PMID: 11139328
- 258: Kuiper S, Muris JW, Dompeling E, Kester AD, Wesseling G, Knottnerus JA, van Schayck CP.
 Interactive effect of family history and environmental factors on respiratory tract-related morbidity in infancy.
 J Allergy Clin Immunol. 2007 Aug;120(2):388-95. Epub 2007 May 10.
 PMID: 17498791
- 259: Kukla L, Hrubá D, Tyrlik M.
 Trends in respiratory morbidity of children in relation to their passive smoking exposure.
 Cent Eur J Public Health. 2006 Dec;14(4):180-5.
 PMID: 17243497
- 260: Kukla L, Hrubá D, Tyrlik M.
 Influence of prenatal and postnatal exposure to passive smoking on infants' health during the first six months of their life.
 Cent Eur J Public Health. 2004 Sep;12(3):157-60.
 PMID: 15508415
- 261: Kuusimäki L, Pfäffli P, Froshaug M, Becher G, Dybing E, Peltonen K.**
Determination of nicotine as an indicator of environmental tobacco smoke in restaurants.
Am J Ind Med. 1999 Sep;Suppl 1:152-4. No abstract available.
PMID: 10519819
- 262: Künzli N, Mazzeo P, Adam M, Götschi T, Mathys P, Monn C, Brändli O.
 Smoke-free cafe in an unregulated European city: highly welcomed and economically successful.
 Tob Control. 2003 Sep;12(3):282-8.
 PMID: 12958388
- 263: Lagarde F, Axelsson G, Damber L, Mellander H, Nyberg F, Pershagen G.
 Residential radon and lung cancer among never-smokers in Sweden.
 Epidemiology. 2001 Jul;12(4):396-404.
 PMID: 11416777
- 264: LaKind JS, Ginevan ME, Naiman DQ, James AC, Jenkins RA, Dourson ML, Felter SP, Graves CG, Tardiff RG.**
Distribution of exposure concentrations and doses for constituents of environmental tobacco smoke.
Risk Anal. 1999 Jun;19(3):375-90.
PMID: 10765411
- 265: LaKind JS, Jenkins RA, Naiman DQ, Ginevan ME, Graves CG, Tardiff RG.
 Use of environmental tobacco smoke constituents as markers for exposure.
 Risk Anal. 1999 Jun;19(3):359-73.
 PMID: 10765410
- 266: LaKind JS, Graves CG, Ginevan ME, Jenkins RA, Naiman DQ, Tardiff RG.
 Exposure to environmental tobacco smoke in the workplace and the impact of away-from-work exposure.
 Risk Anal. 1999 Jun;19(3):349-58.
 PMID: 10765409

- 267: Lal A, Siahpush M, Scollo M.
The economic impact of smoke-free legislation on sales turnover in restaurants and pubs in Tasmania.
Tob Control. 2004 Dec;13(4):454-5. No abstract available.
PMID: 15564637
- 268: Lam TH, Ho LM, Hedley AJ, Adab P, Fielding R, McGhee SM, Leung GM, Aharonson-Daniel L.
Secondhand smoke and respiratory ill health in current smokers.
Tob Control. 2005 Oct;14(5):307-14.
PMID: 16183981
- 269: Lam TH, Janghorbani M, Hedley AJ, Ho SY, McGhee SM, Chan B.
Public opinion on smoke-free policies in restaurants and predicted effect on patronage in Hong Kong.
Tob Control. 2002 Sep;11(3):195-200.
PMID: 12198268
- 270: Lambert WE, Samet JM, Spengler JD.**
Environmental tobacco smoke concentrations in no-smoking and smoking sections of restaurants.
Am J Public Health. 1993 Sep;83(9):1339-41.
PMID: 8363015
- 271: Lando HA, McGovern PG, Kelder SH, Jeffery RW, Forster JL.
Use of carbon monoxide breath validation in assessing exposure to cigarette smoke in a worksite population.
Health Psychol. 1991;10(4):296-301.
PMID: 1915217
- 272: Laranjeira R, Pilon S, Dunn J.
Environmental tobacco smoke exposure among non-smoking waiters: measurement of expired carbon monoxide levels.
Sao Paulo Med J. 2000 Jul 6;118(4):89-92.
PMID: 10887383
- 273: Lee CH, Ko YC, Goggins W, Huang JJ, Huang MS, Kao EL, Wang HZ.
Lifetime environmental exposure to tobacco smoke and primary lung cancer of non-smoking Taiwanese women.
Int J Epidemiol. 2000 Apr;29(2):224-31.
PMID: 10817117
- 274: Lee P.
Passive smoking and lung cancer. Strength of evidence on passive smoking and lung cancer is overstated.
BMJ. 1998 Aug 1;317(7154):346-7; author reply 348. No abstract available.
PMID: 9685291
- 275: Lee PN.
Mortality from tobacco in developed countries: are indirect estimates reliable?
Regul Toxicol Pharmacol. 1996 Aug;24(1 Pt 1):60-8. Review.
PMID: 8921546
- 276: Leonard CT, Sachs DP.
Environmental tobacco smoke and lung cancer incidence.
Curr Opin Pulm Med. 1999 Jul;5(4):189-93. Review.
PMID: 10407685

- 277: Leone A, Giannini D, Bellotto C, Balbarini A.**
Passive smoking and coronary heart disease.
Curr Vasc Pharmacol. 2004 Apr;2(2):175-82. Review.
PMID: 15320518
- 278: LeVois ME, Layard MW.
Publication bias in the environmental tobacco smoke/coronary heart disease epidemiologic literature.
Regul Toxicol Pharmacol. 1995 Feb;21(1):184-91. Review.
PMID: 7784630
- 279: LeVois ME, Layard MW.
Inconsistency between workplace and spousal studies of environmental tobacco smoke and lung cancer.
Regul Toxicol Pharmacol. 1994 Jun;19(3):309-16. Review.
PMID: 8090954
- 280: Levy DT, Romano E, Mumford EA.
Recent trends in home and work smoking bans.
Tob Control. 2004 Sep;13(3):258-63.
PMID: 15333881
- 281: Levy DT, Friend K.
A framework for evaluating and improving clean indoor air laws.
J Public Health Manag Pract. 2001 Sep;7(5):87-96.
PMID: 11680035
- 282: Levy J.
Workplace smoking: employers face new challenges.
Am J Orthod Dentofacial Orthop. 1994 Feb;105(2):211-2. No abstract available.
PMID: 8311042
- 283: Lilla C, Verla-Tebit E, Risch A, Jäger B, Hoffmeister M, Brenner H, Chang-Claude J.
Effect of NAT1 and NAT2 genetic polymorphisms on colorectal cancer risk associated with exposure to tobacco smoke and meat consumption.
Cancer Epidemiol Biomarkers Prev. 2006 Jan;15(1):99-107.
PMID: 16434594
- 284: Lindgren T, Norbäck D.
Cabin air quality: indoor pollutants and climate during intercontinental flights with and without tobacco smoking.
Indoor Air. 2002 Dec;12(4):263-72.
PMID: 12532758
- 285: Lindgren T, Andersson K, Dammström BG, Norbäck D.
Ocular, nasal, dermal and general symptoms among commercial airline crews.
Int Arch Occup Environ Health. 2002 Sep;75(7):475-83. Epub 2002 May 1.
PMID: 12172894
- 286: Lindgren T, Willers S, Skarping G, Norbäck D.
Urinary cotinine concentration in flight attendants, in relation to exposure to environmental tobacco smoke during intercontinental flights.
Int Arch Occup Environ Health. 1999 Oct;72(7):475-9.
PMID: 10541913
- 287: Liu H, Yang F, Li Z, Chen C, Fang Z, Wang L, Hu Y, Chen D.
Passive smoking, Cyp1A1 gene polymorphism and dysmenorrhea.
Reprod Toxicol. 2007 Jul;24(1):114-9. Epub 2007 May 7.
PMID: 17566695

- 288: Liu Q, Sasco AJ, Riboli E, Hu MX.
Indoor air pollution and lung cancer in Guangzhou, People's Republic of China.
Am J Epidemiol. 1993 Jan 15;137(2):145-54.
PMID: 8452118
- 289: Loff B, Cordner S.
Passive smoking test case wins in Australia.
Lancet. 2001 May 12;357(9267):1511. No abstract available.
PMID: 11377621
- 290: Lohman JE.
The shift toward healthier dining: a war in the trenches.
Wis Med J. 1993 Nov;92(11):602, 604. No abstract available.
PMID: 8303894
- 291: Lubin JH, Kogevinas M, Silverman D, Malats N, Garcia-Closas M, Tardón A, Hein DW, Garcia-Closas R, Serra C, Dosemeci M, Carrato A, Rothman N.
Evidence for an intensity-dependent interaction of NAT2 acetylation genotype and cigarette smoking in the Spanish Bladder Cancer Study.
Int J Epidemiol. 2007 Feb;36(1):236-41.
PMID: 17510079
- 292: Lubin JH.**
Estimating lung cancer risk with exposure to environmental tobacco smoke.
***Environ Health Perspect.* 1999 Dec;107 Suppl 6:879-83.**
PMID: 10592146
- 293: Luk R, Ferrence R, Gmel G.
The economic impact of a smoke-free bylaw on restaurant and bar sales in Ottawa, Canada.
Addiction. 2006 May;101(5):738-45.
PMID: 16669908
- 294: Lukanich JM.
Tobacco and public health.
Chest. 1999 Dec;116(6 Suppl):486S-489S.
PMID: 10619515
- 295: Lund VJ, Preziosi P, Hercberg S, Hamoir M, Dubreuil C, Pessey JJ, Stoll D, Zanaret M, Gehanno P.
Yearly incidence of rhinitis, nasal bleeding, and other nasal symptoms in mature women.
Rhinology. 2006 Mar;44(1):26-31.
PMID: 16550946
- 296: Lung SC, Wu MJ, Lin CC.**
Customers' exposure to PM2.5 and polycyclic aromatic hydrocarbons in smoking/nonsmoking sections of 24-h coffee shops in Taiwan.
***J Expo Anal Environ Epidemiol.* 2004 Nov;14(7):529-35.**
PMID: 15039796
- 297: Macdonald HR, Glantz SA.
Political realities of statewide smoking legislation: the passage of California's Assembly Bill 13.
Tob Control. 1997 Spring;6(1):41-54.
PMID: 9176985
- 298: Mackay B.
Butting out in Canada: five down, eight to go.
CMAJ. 2004 Sep 14;171(6):558. No abstract available.
PMID: 15367450

- 299: Maertens RM, Bailey J, White PA.
The mutagenic hazards of settled house dust: a review.
Mutat Res. 2004 Nov;567(2-3):401-25. Review.
PMID: 15572288
- 300: Magnusson LL, Olesen AB, Wennborg H, Olsen J.
Wheezing, asthma, hayfever, and atopic eczema in childhood following exposure to tobacco smoke in fetal life.
Clin Exp Allergy. 2005 Dec;35(12):1550-6.
PMID: 16393320
- 301: Maher HK.
Secondhand smoke.
AAOHN J. 2007 Jan;55(1):40. No abstract available.
PMID: 17260680
- 302: Malats N, Camus-Radon AM, Nyberg F, Ahrens W, Constantinescu V, Mukeria A, Benhamou S, Batura-Gabryel H, Bruske-Hohlfeld I, Simonato L, Menezes A, Lea S, Lang M, Boffetta P.
Lung cancer risk in nonsmokers and GSTM1 and GSTT1 genetic polymorphism.
Cancer Epidemiol Biomarkers Prev. 2000 Aug;9(8):827-33.
PMID: 10952100
- 303: Manuel J.
Secondhand smoke: displaced enthusiasm?
Environ Health Perspect. 2007 Mar;115(3):A129. No abstract available.
PMID: 17431463
- 304: Manuel JS.
Sins of the father. Parental smoking and childhood cancer.
Environ Health Perspect. 2000 Jan;108(1):A30. No abstract available.
PMID: 10691364
- 305: Manz A.
[Work places can be much more hazardous than smoking or passive smoking]
Offentl Gesundheitswes. 1991 Oct;53 Suppl 2:134-7. German. No abstract available.
PMID: 1722033
- 306: Mao Y, Hu J, Semenciw R, White K; Canadian Cancer Registries Epidemiology Research Group.
Active and passive smoking and the risk of stomach cancer, by subsite, in Canada.
Eur J Cancer Prev. 2002 Feb;11(1):27-38.
PMID: 11917206
- 307: Markewitz BA, Owens MW, Payne DK.
The pathogenesis of chronic obstructive pulmonary disease.
Am J Med Sci. 1999 Aug;318(2):74-8. Review.
PMID: 10452563
- 308: Martonen TB, Schroeter JD.
Risk assessment dosimetry model for inhaled particulate matter: II. Laboratory surrogates (rat).
Toxicol Lett. 2003 Feb 18;138(1-2):133-42.
PMID: 12559697
- 309: Martonen TB, Schroeter JD.
Risk assessment dosimetry model for inhaled particulate matter: I. Human subjects.
Toxicol Lett. 2003 Feb 18;138(1-2):119-32.
PMID: 12559696

- 310: Martínez-Donate AP, Hovell MF, Hofstetter CR, González-Pérez GJ, Adams MA, Sánchez Jde J, Guzmán-Cerda G.
Smoking, exposure to secondhand smoke, and smoking restrictions in Tijuana, Mexico.
Rev Panam Salud Publica. 2005 Dec;18(6):412-7.
PMID: 16536927
- 311: Maskarinec MP, Jenkins RA, Counts RW, Dindal AB.**
Determination of exposure to environmental tobacco smoke in restaurant and tavern workers in one US city.
J Expo Anal Environ Epidemiol. 2000 Jan-Feb;10(1):36-49.
PMID: 10703846
- 312: Mattes J, Karmaus W, Storm van's Gravesande K, Moseler M, Forster J, Kuehr J.
Pulmonary function in children of school age is related to the number of siblings in their family.
Pediatr Pulmonol. 1999 Dec;28(6):414-7.
PMID: 10587415
- 313: Mayer AS, Newman LS.
Genetic and environmental modulation of chronic obstructive pulmonary disease.
Respir Physiol. 2001 Oct;128(1):3-11. Review.
PMID: 11535256
- 314: Maziak W, Ward KD, Rastam S, Mzayek F, Eissenberg T.**
Extent of exposure to environmental tobacco smoke (ETS) and its dose-response relation to respiratory health among adults.
Respir Res. 2005 Feb 8;6:13.
PMID: 15701169
- 315: McCaffrey M, Goodman PG, Kelleher K, Clancy L.
Smoking, occupancy and staffing levels in a selection of Dublin pubs pre and post a national smoking ban, lessons for all.
Ir J Med Sci. 2006 Apr-Jun;175(2):37-40.
PMID: 16872027
- 316: McClean MD, Rinehart RD, Sapkota A, Cavallari JM, Herrick RF.
Dermal exposure and urinary 1-hydroxypyrene among asphalt roofing workers.
J Occup Environ Hyg. 2007;4 Suppl 1:118-26.
PMID: 17503278
- 317: McCormick J.
Medical hubris and the public health: the ethical dimension.
J Clin Epidemiol. 1996 Jun;49(6):619-21. No abstract available.
PMID: 8656220
- 318: McElgunn B.
Reproductive and developmental hazards in the workplace.
Clin Excell Nurse Pract. 1998 May;2(3):140-5. Review.
PMID: 12675082
- 319: McGhee SM, Hedley AJ, Ho LM.**
Passive smoking and its impact on employers and employees in Hong Kong.
Occup Environ Med. 2002 Dec;59(12):842-6.
PMID: 12468752
- 320: McGhee SM, Adab P, Hedley AJ, Lam TH, Ho LM, Fielding R, Wong CM.
Passive smoking at work: the short-term cost.
J Epidemiol Community Health. 2000 Sep;54(9):673-6.
PMID: 10942446

- 321: McKee M.
A failure of leadership? Why Northern Ireland must introduce a total ban on workplace smoking.
Ulster Med J. 2005 Sep;74(2):78-80. No abstract available.
PMID: 16235758
- 322: McMullen KM, Brownson RC, Luke D, Chriqui J.
Strength of clean indoor air laws and smoking related outcomes in the USA.
Tob Control. 2005 Feb;14(1):43-8.
PMID: 15735299
- 323: McNabola A, Broderick B, Johnston P, Gill L.**
Effects of the smoking ban on benzene and 1,3-butadiene levels in pubs in Dublin.
J Environ Sci Health A Tox Hazard Subst Environ Eng. 2006;41(5):799-810.
PMID: 16702060
- 324: McNicholas WT.
Controlling passive smoking through legislation in Ireland: an attack on civil liberty or good public health policy?
Eur Respir J. 2004 Sep;24(3):337-8. No abstract available.
PMID: 15358684
- 325: Menzies D, Nair A, Williamson PA, Schembri S, Al-Khairalla MZ, Barnes M, Fardon TC, McFarlane L, Magee GJ, Lipworth BJ.**
Respiratory symptoms, pulmonary function, and markers of inflammation among bar workers before and after a legislative ban on smoking in public places.
JAMA. 2006 Oct 11;296(14):1742-8.
PMID: 17032987
- 326: Metcalf CA, Yach D.
Smoking policies in the workplace in the western Cape.
S Afr Med J. 1992 Jan 4;81(1):23-6.
PMID: 1729730
- 327: Mihaițan F, Munteanu I, Higbee C, Travers M, Hyland A, Cummings KM, Dresler C.
Global air monitoring study: a multi-country comparison of levels of indoor air pollution in different workplaces. Results from Romania, May 2006.
Pneumologia. 2006 Oct-Dec;55(4):156-60.
PMID: 17494269
- 328: Miller CL, Hickling JA.
Phased in smoke-free workplace laws: impact in grass-roots pubs and clubs in South Australia.
Health Promot J Austr. 2007 Apr;18(1):26-32.
PMID: 17501708
- 329: Miller MD, Marty MA, Broadwin R, Johnson KC, Salmon AG, Winder B, Steinmaus C; California Environmental Protection Agency.
The association between exposure to environmental tobacco smoke and breast cancer: a review by the California Environmental Protection Agency.
Prev Med. 2007 Feb;44(2):93-106. Epub 2006 Oct 5.
PMID: 17027075
- 330: Milz S, Akbar-Khanzadeh F, Ames A, Spino S, Tex C, Lanza K.
Indoor air quality in restaurants with and without designated smoking rooms.
J Occup Environ Hyg. 2007 Apr;4(4):246-52.
PMID: 17365495

- 331: Misdaq MA, Flata K.
The influence of the cigarette smoke pollution and ventilation rate on alpha-activities per unit volume due to radon and its progeny.
J Environ Radioact. 2003;67(3):207-18.
PMID: 12691719
- 332: Misra DP, Nguyen RH.
Environmental tobacco smoke and low birth weight: a hazard in the workplace?
Environ Health Perspect. 1999 Dec;107 Suppl 6:897-904.
PMID: 10592147
- 333: Mitchell E, Sanders J.
Tobacco control in NSW: evidence supporting improved strategies to reduce exposure to environmental tobacco smoke.
N S W Public Health Bull. 2002 Sep-Oct;13(9-10):215-7. No abstract available.
PMID: 12555114
- 334: Mitchell EA, Thompson JM, Robinson E, Wild CJ, Becroft DM, Clark PM, Glavish N, Pattison NS, Pryor JE.
Smoking, nicotine and tar and risk of small for gestational age babies.
Acta Paediatr. 2002;91(3):323-8.
PMID: 12022307
- 335: Mitra AP, Morawska L, Sharma C, Zhang J.
Chapter two: methodologies for characterisation of combustion sources and for quantification of their emissions.
Chemosphere. 2002 Dec;49(9):903-22. Review.
PMID: 12492157
- 336: Miura K, Nakagawa H, Toyoshima H, Kodama K, Nagai M, Morikawa Y, Inaba Y, Ohno Y.
Environmental factors and risk of idiopathic dilated cardiomyopathy: a multi-hospital case-control study in Japan.
Circ J. 2004 Nov;68(11):1011-7.
PMID: 15502381
- 337: Mizoue T, Ueda R, Hino Y, Yoshimura T.
Workplace exposure to environmental tobacco smoke and high density lipoprotein cholesterol among nonsmokers.
Am J Epidemiol. 1999 Nov 15;150(10):1068-72.
PMID: 10568621
- 338: Montini T, Bero LA.
Policy makers' perspectives on tobacco control advocates' roles in regulation development.
Tob Control. 2001 Sep;10(3):218-24.
PMID: 11544384
- 339: Morabia A, Bernstein M, Héritier S.
Re: "Smoking and breast cancer: reconciling the epidemiologic evidence by accounting for passive smoking and/or genetic susceptibility".
Am J Epidemiol. 1998 May 15;147(10):992-3. No abstract available.
PMID: 9596479
- 340: Morris PD.
Lifetime excess risk of death from lung cancer for a U.S. female never-smoker exposed to environmental tobacco smoke.
Environ Res. 1995 Jan;68(1):3-9.
PMID: 7729384

- 341: Moschandreas DJ, Chu P.
Occupant perception of indoor air and comfort in four hospitality environments.
AIHA J (Fairfax, Va). 2002 Jan-Feb;63(1):47-54.
PMID: 11843426
- 342: Moskowitz JM, Lin Z, Hudes ES.
The impact of California's smoking ordinances on worksite smoking policy and exposure to environmental tobacco smoke.
Am J Health Promot. 1999 May-Jun;13(5):278-81, iii.
PMID: 10538642
- 343: Mosqueron L, Momas I, Le Moullec Y.
Personal exposure of Paris office workers to nitrogen dioxide and fine particles.
Occup Environ Med. 2002 Aug;59(8):550-5.
PMID: 12151612
- 344: Moussa K, Lindström M, Ostergren PO.
Socioeconomic and demographic differences in exposure to environmental tobacco smoke at work: the Scania Public Health Survey 2000.
Scand J Public Health. 2004;32(3):194-202.
PMID: 15204180
- 345: Muggli ME, Hurt RD, Repace J.
The tobacco industry's political efforts to derail the EPA report on ETS.
Am J Prev Med. 2004 Feb;26(2):167-77. Review.
PMID: 14751332
- 346: Mulcahy M, Evans DS, Hammond SK, Repace JL, Byrne M.
Secondhand smoke exposure and risk following the Irish smoking ban: an assessment of salivary cotinine concentrations in hotel workers and air nicotine levels in bars.
Tob Control. 2005 Dec;14(6):384-8.
PMID: 16319361**
- 347: Mullins R, Borland R.
Preference and requests for smoke-free dining.
Aust J Public Health. 1995 Feb;19(1):100-1.
PMID: 7734580
- 348: Nazaire MH.
Passive smoking and respiratory health in children and adults.
Int J Tuberc Lung Dis. 2005 Jun;9(6):705-6. No abstract available.
PMID: 15971408
- 349: Nazaroff WW, Singer BC.
Inhalation of hazardous air pollutants from environmental tobacco smoke in US residences.
J Expo Anal Environ Epidemiol. 2004;14 Suppl 1:S71-7.
PMID: 15118748
- 350: Nebot M, López MJ, Gorini G, Neuberger M, Axelsson S, Pilali M, Fonseca C, Abdennbi K, Hackshaw A, Moshammer H, Laurent AM, Salles J, Georgouli M, Fondelli MC, Serrahima E, Centrich F, Hammond SK.
Environmental tobacco smoke exposure in public places of European cities.
Tob Control. 2005 Feb;14(1):60-3.
PMID: 15735302**

- 351: Neilsen K, Glantz SA.
A tobacco industry study of airline cabin air quality: dropping inconvenient findings.
Tob Control. 2004 Mar;13 Suppl 1:i20-9. Review.
PMID: 14985613
- 352: Neuberger JS, Field RW.
Occupation and lung cancer in nonsmokers.
Rev Environ Health. 2003 Oct-Dec;18(4):251-67. Review.
PMID: 15025189
- 353: Neuberger M.
[Smoking and prevention at the work site]
Wien Med Wochenschr. 1995;145(4):90-4. German.
PMID: 7778327
- 354: Ng DP, Tan KW, Zhao B, Seow A.
CYP1A1 polymorphisms and risk of lung cancer in non-smoking Chinese women: influence of environmental tobacco smoke exposure and GSTM1/T1 genetic variation.
Cancer Causes Control. 2005 May;16(4):399-405.
PMID: 15953982
- 355: Nilsson R.**
Environmental tobacco smoke revisited: the reliability of the data used for risk assessment.
Risk Anal. 2001 Aug;21(4):737-60. Review.
PMID: 11726024
- 356: Niven RM, Pickering CA.
Is atopy and smoking important in the workplace?
Occup Med (Lond). 1999 Apr;49(3):197-200.
PMID: 10451603
- 357: Nurminen MM, Jaakkola MS.**
On the estimation of lung cancer mortality caused by occupational exposure to environmental tobacco smoke in Finland.
J Occup Environ Med. 2004 Feb;46(2):93-5. No abstract available.
PMID: 14767211
- 358: Nurminen MM, Jaakkola MS.
Mortality from occupational exposure to environmental tobacco smoke in Finland.
J Occup Environ Med. 2001 Aug;43(8):687-93.
PMID: 11515251
- 359: Ogden MW.
Estimating exposure to environmental tobacco smoke.
JAMA. 1996 Aug 28;276(8):603-4. No abstract available.
PMID: 8773626
- 360: Ogden MW.
Occupational exposure to environmental tobacco smoke.
JAMA. 1996 Feb 14;275(6):441; author reply 442. No abstract available.
PMID: 8627955
- 361: Okoli CT, Rayens MK, Hahn EJ.
Behavioral effects of nicotine exposure from secondhand tobacco smoke among bar and restaurant workers.
Addict Behav. 2007 Sep;32(9):1922-8. Epub 2006 Dec 19.
PMID: 17239546

- 362: Olsen O, Kristensen TS.
Impact of work environment on cardiovascular diseases in Denmark.
J Epidemiol Community Health. 1991 Mar;45(1):4-9; discussion 9-10.
PMID: 2045743
- 363: Ong E, Glantz SA.
Hirayama's work has stood the test of time.
Bull World Health Organ. 2000;78(7):938-9. Review. No abstract available.
PMID: 10994268
- 364: Ong EK, Glantz SA.
Constructing "sound science" and "good epidemiology": tobacco, lawyers, and public relations firms.
Am J Public Health. 2001 Nov;91(11):1749-57. Review.
PMID: 11684593
- 365: Ott WR, Klepeis NE, Switzer P.
Analytical solutions to compartmental indoor air quality models with application to environmental tobacco smoke concentrations measured in a house.
J Air Waste Manag Assoc. 2003 Aug;53(8):918-36.
PMID: 12943312
- 366: Ott WR.**
Mathematical models for predicting indoor air quality from smoking activity.
Environ Health Perspect. 1999 May;107 Suppl 2:375-81. Review.
PMID: 10350523
- 367: Padki K.
Smoking in public places. Restaurants' policies do not reflect public's preferences.
BMJ. 1996 Jul 6;313(7048):48. No abstract available.
PMID: 8664791
- 368: Palmiotto G, Pieraccini G, Moneti G, Dolara P.
Determination of the levels of aromatic amines in indoor and outdoor air in Italy.
Chemosphere. 2001 Apr;43(3):355-61.
PMID: 11302581
- 369: Parmet WE, Gottlieb MA, Daynard RA.
Accommodating vulnerabilities to environmental tobacco smoke: a prism for understanding the ADA.
J Law Health. 1997-1998;12(1):1-38. No abstract available.
PMID: 10182026
- 370: Patt DA, Shopland DR, Anderson CM, Burns DM, Dunnington J, Gritz ER.
Measuring progress to protect workers from job-related secondhand smoke in Texas.
Tex Med. 2005 Dec;101(12):50-6.
PMID: 17094502
- 371: Percival J, Queally B.
Second-hand smoke: how damaging is it to health?
Nurs Times. 2005 Jun 21-27;101(25):50-2. Review.
PMID: 15997952
- 372: Percival J.
Time to clear the air.
Nurs Stand. 2004 Jul 7-13;18(43):27. No abstract available.
PMID: 15318649

- 373: Perera FP, Tang D, Tu YH, Cruz LA, Borjas M, Bernert T, Whyatt RM.
Biomarkers in maternal and newborn blood indicate heightened fetal susceptibility to procarcinogenic DNA damage.
Environ Health Perspect. 2004 Jul;112(10):1133-6.
PMID: 15238289
- 374: Petersen GM.
Epidemiology, screening, and prevention of lung cancer.
Curr Opin Oncol. 1994 Mar;6(2):156-61. Review.
PMID: 8011692
- 375: Phillips K, Howard DA, Bentley MC, Alván G.**
Measured exposures by personal monitoring for respirable suspended particles and environmental tobacco smoke of housewives and office workers resident in Bremen, Germany.
Int Arch Occup Environ Health. 1998 May;71(3):201-12.
PMID: 9591162
- 376: Pickett MS, Schober SE, Brody DJ, Curtin LR, Giovino GA.
Smoke-free laws and secondhand smoke exposure in US non-smoking adults, 1999-2002.
Tob Control. 2006 Aug;15(4):302-7.
PMID: 16885579
- 377: Piechocki-Minguy A, Plaisance H, Schadkowski C, Sagnier I, Saison JY, Galloo JC, Guillermo R.
A case study of personal exposure to nitrogen dioxide using a new high sensitive diffusive sampler.
Sci Total Environ. 2006 Jul 31;366(1):55-64. Epub 2005 Sep 12.
PMID: 16154618
- 378: Pilkington P, Gilmore AB.
The Living Tomorrow Project: how Philip Morris has used a Belgian tourist attraction to promote ventilation approaches to the control of second hand smoke.
Tob Control. 2004 Dec;13(4):375-8.
PMID: 15564621
- 379: Pilkington PA, Gray S, Gilmore AB, Daykin N.
Attitudes towards second hand smoke amongst a highly exposed workforce: survey of London casino workers.
J Public Health (Oxf). 2006 Jun;28(2):104-10. Epub 2006 Feb 23.
PMID: 16497788
- 380: Pinot F, Kreps SE, Bachelet M, Hainaut P, Bakonyi M, Polla BS.
Cadmium in the environment: sources, mechanisms of biotoxicity, and biomarkers.
Rev Environ Health. 2000 Jul-Sep;15(3):299-323. Review. No abstract available.
PMID: 11048333
- 381: Pipe A.
Smoking, restaurants and bars: the Toronto experience.
CMAJ. 1998 Jan 13;158(1):68-70. No abstract available.
PMID: 9475914
- 382: Plescia M, Malek SH, Shopland DR, Anderson CM, Burns DM.
Protecting workers from secondhand smoke in North Carolina.
N C Med J. 2005 May-Jun;66(3):186-91.
PMID: 16130941

- 383: Potter JD.
Invited commentary: old problem, new wrinkles.
Am J Epidemiol. 1998 May 15;147(10):911-3. No abstract available. Erratum in: Am J Epidemiol 1998 Aug 1;148(3):314.
PMID: 9596468
- 384: Proctor CJ.
The hot air on passive smoking. BAT has not tried to discredit data on passive smoking.
BMJ. 1998 Aug 1;317(7154):349. No abstract available.
PMID: 9729087
- 385: Puntoni R, Toninelli F, Zhankui L, Bonassi S.**
Mathematical modelling in risk/exposure assessment of tobacco related lung cancer.
Carcinogenesis. 1995 Jul;16(7):1465-71.
PMID: 7614679
- 386: Pursell L, Allwright S, O'Donovan D, Paul G, Kelly A, Mullally BJ, D'Eath M.
Before and after study of bar workers' perceptions of the impact of smoke-free workplace legislation in the Republic of Ireland.
BMC Public Health. 2007 Jun 29;7:131.
PMID: 17603892
- 387: Pyles MK, Mullineaux DJ, Okoli CT, Hahn EJ.
Economic effect of a smoke-free law in a tobacco-growing community.
Tob Control. 2007 Feb;16(1):66-8.
PMID: 17297077
- 388: Pérez CE.
Second-hand smoke exposure--who's at risk?
Health Rep. 2004 Oct;16(1):9-17.
PMID: 15581130
- 389: Pérez-Ríos M, Santiago-Pérez MI, Alonso B, Malvar A, Hervada X.
Exposure to second-hand smoke: a population-based survey in Spain.
Eur Respir J. 2007 Apr;29(4):818-9. No abstract available.
PMID: 17400884
- 390: Qiao YL, Tockman MS, Li L, Erozan YS, Yao SX, Barrett MJ, Zhou WH, Giffen CA, Luo XC, Taylor PR.
A case-cohort study of an early biomarker of lung cancer in a screening cohort of Yunnan tin miners in China.
Cancer Epidemiol Biomarkers Prev. 1997 Nov;6(11):893-900.
PMID: 9367062
- 391: Ramadan HH, Hinerman RA.
Smoke exposure and outcome of endoscopic sinus surgery in children.
Otolaryngol Head Neck Surg. 2002 Dec;127(6):546-8.
PMID: 12501106
- 392: Rapiti E, Jindal SK, Gupta D, Boffetta P.
Passive smoking and lung cancer in Chandigarh, India.
Lung Cancer. 1999 Mar;23(3):183-9.
PMID: 10413195
- 393: Redberg RF.
Passive smoking and heart disease.
J Am Coll Cardiol. 1998 Aug;32(2):551. No abstract available.
PMID: 9708492

- 394: Reeder A, Blair A.
Environmental tobacco smoke: views from the Dunedin hospitality industry on prohibition of smoking in licensed premises.
N Z Med J. 2000 Nov 24;113(1122):476-9.
PMID: 11198537
- 395: Reichart PA.
Identification of risk groups for oral precancer and cancer and preventive measures.
Clin Oral Investig. 2001 Dec;5(4):207-13. Review.
PMID: 11800432
- 396: Reid ME, Marshall JR, Roe D, Lebowitz M, Alberts D, Battacharyya AK, Martinez ME.
Smoking exposure as a risk factor for prevalent and recurrent colorectal adenomas.
Cancer Epidemiol Biomarkers Prev. 2003 Oct;12(10):1006-11.
PMID: 14578135
- 397: Repace J, Hughes E, Benowitz N.
Exposure to second-hand smoke air pollution assessed from bar patrons' urinary cotinine.
Nicotine Tob Res. 2006 Oct;8(5):701-11.
PMID: 17008197
- 398: Repace J.
Flying the smoky skies: secondhand smoke exposure of flight attendants.
Tob Control. 2004 Mar;13 Suppl 1:i8-19. Review.
PMID: 14985612
- 399: Repace JL, Hyde JN, Brugge D.
Air pollution in Boston bars before and after a smoking ban.
BMC Public Health. 2006 Oct 27;6:266.
PMID: 17069654
- 400: Repace JL, Jinot J, Bayard S, Emmons K, Hammond SK.**
Air nicotine and saliva cotinine as indicators of workplace passive smoking exposure and risk.
Risk Anal. 1998 Feb;18(1):71-83.
PMID: 9523445
- 401: Repace JL, Lowrey AH.**
An enforceable indoor air quality standard for environmental tobacco smoke in the workplace.
Risk Anal. 1993 Aug;13(4):463-75.
PMID: 8234955
- 402: Reynolds P, Hurley S, Goldberg D; California Teachers Study Steering Committee.
Accumulating evidence on passive and active smoking and breast cancer risk.
Int J Cancer. 2006 Jul 1;119(1):239; author reply 240-1. No abstract available.
PMID: 16432834
- 403: Reynolds P, Hurley SE, Hoggatt K, Anton-Culver H, Bernstein L, Deapen D, Peel D, Pinder R, Ross RK, West D, Wright W, Ziogas A, Horn-Ross PL.
Correlates of active and passive smoking in the California Teachers Study cohort.
J Womens Health (Larchmt). 2004 Sep;13(7):778-90.
PMID: 15385072

- 404: Reynolds P, Goldberg DE, Hurley S; California Teachers Study Steering Committee.
Prevalence and patterns of environmental tobacco smoke exposures among California teachers.
Am J Health Promot. 2004 May-Jun;18(5):358-65.
PMID: 15163136
- 405: Reynolds P, Hurley S, Goldberg DE, Anton-Culver H, Bernstein L, Deapen D, Horn-Ross PL, Peel D, Pinder R, Ross RK, West D, Wright WE, Ziogas A.
Active smoking, household passive smoking, and breast cancer: evidence from the California Teachers Study.
J Natl Cancer Inst. 2004 Jan 7;96(1):29-37.
PMID: 14709736
- 406: Reynolds P.**
Epidemiologic evidence for workplace ETS as a risk factor for lung cancer among nonsmokers: specific risk estimates.
Environ Health Perspect. 1999 Dec;107 Suppl 6:865-72. Review.
PMID: 10592144
- 407: Reynolds P, von Behren J, Fontham ET, Correa P, Wu A, Buffler PA, Greenberg RS.**
Occupational exposure to environmental tobacco smoke.
JAMA. 1996 Feb 14;275(6):441-2. No abstract available.
PMID: 8627956
- 408: Richmond JB, Burns DM, Cummings KM.
Public health and the power of individual action.
Tob Control. 2004 Mar;13 Suppl 1:i1-2. No abstract available.
PMID: 14985609
- 409: Rigotti NA, Pasternak RC.
Cigarette smoking and coronary heart disease: risks and management.
Cardiol Clin. 1996 Feb;14(1):51-68. Review.
PMID: 9072291
- 410: Robertson G.**
The hazards of involuntary smoking in the restaurant workplace.
JAMA. 1994 Feb 23;271(8):584-5. No abstract available.
PMID: 8301782
- 411: Robinson JP, Speer TL.
The air we breathe.
Am Demogr. 1995 Jun;17(6):24-32.
PMID: 10182448
- 412: Robinson RJ.
Carcinogen specific dosimetry model for passive smokers of various ages.
Sci Total Environ. 2005 Feb 15;338(3):201-12.
PMID: 15713329
- 413: Rolle-Kampczyk UE, Rehwagen M, Diez U, Richter M, Herbarth O, Borte M.
Passive smoking, excretion of metabolites, and health effects: results of the Leipzig's Allergy Risk Study (LARS).
Arch Environ Health. 2002 Jul-Aug;57(4):326-31.
PMID: 12530599

- 414: **Rosenbaum WL, Sterling TD, Weinkam JJ.**
Linear extrapolation models of lung cancer risk associated with exposure to environmental tobacco smoke.
Regul Toxicol Pharmacol. 1998 Oct;28(2):106-14. Review.
PMID: 9927560
- 415: **Rosenbaum WL, Sterling TD, Weinkam JJ.**
A critical examination of OSHA's assessment of risk associated with workplace exposure to environmental tobacco smoke.
Regul Toxicol Pharmacol. 1996 Jun;23(3):233-40. Review.
PMID: 8812965
- 416: Rügger M.
[Smoking in the workplace]
Schweiz Rundsch Med Prax. 1994 Jan 4;83(1):3-6. German.
PMID: 8029589
- 417: Sakamoto R, Nakahara T, Satomura K, Iwanaga S, Noami M, Komatsu A, Irie Y, Kinugasa A.
Second-hand smoke in restaurants after enforcement of a health promotion law in Japan.
J Public Health Policy. 2007;28(1):156-61. No abstract available.
PMID: 17363946
- 418: Samet JM.
Adverse effects of smoke exposure on the upper airway.
Tob Control. 2004 Mar;13 Suppl 1:i57-60. Review.
PMID: 14985618
- 419: Samet JM, Burke TA.
Turning science into junk: the tobacco industry and passive smoking.
Am J Public Health. 2001 Nov;91(11):1742-4.
PMID: 11684591
- 420: **Samet JM.**
Workshop summary: assessing exposure to environmental tobacco smoke in the workplace.
Environ Health Perspect. 1999 May;107 Suppl 2:309-12. Review.
PMID: 10350516
- 421: Samet JM.
What can we expect from epidemiologic studies of chemical mixtures?
Toxicology. 1995 Dec 28;105(2-3):307-14.
PMID: 8571367
- 422: Sapigni T, Biavati P, Simoni M, Viegi G, Baldacci S, Carrozzi L, Modena P, Pedreschi M, Vellutini M, Paoletti P.
The Po River Delta Respiratory Epidemiological Survey: an analysis of factors related to level of total serum IgE.
Eur Respir J. 1998 Feb;11(2):278-83.
PMID: 9551725
- 423: Sasco AJ, Merrill RM, Dari I, Benhaïm-Luzon V, Carriot F, Cann CI, Bartal M.
A case-control study of lung cancer in Casablanca, Morocco.
Cancer Causes Control. 2002 Sep;13(7):609-16.
PMID: 12296508

- 424: Satarug S, Moore MR.
Adverse health effects of chronic exposure to low-level cadmium in foodstuffs and cigarette smoke.
Environ Health Perspect. 2004 Jul;112(10):1099-103. Review.
PMID: 15238284
- 425: Schenker MB, Kado NY, Hammond SK, Samuels SJ, Woskie SR, Smith TJ.
Urinary mutagenic activity in workers exposed to diesel exhaust.
Environ Res. 1992 Apr;57(2):133-48.
PMID: 1373681
- 426: Schneider S, Tönges S, Mohnen S, Schaller K, Pötschke-Langer M.
[Smoke-free restaurants: opinions and acceptance in a representative sample of the German population]
Dtsch Med Wochenschr. 2006 Sep 22;131(38):2067-72. German.
PMID: 16981076
- 427: Schofield MJ, Considine R, Boyle CA, Sanson-Fisher R.
Smoking control in restaurants: the effectiveness of self-regulation in Australia.
Am J Public Health. 1993 Sep;83(9):1284-8.
PMID: 8363005
- 428: Schorp MK, Leyden DE.
Distribution analysis of airborne nicotine concentrations in hospitality facilities.
Environ Int. 2002 Feb;27(7):567-78.
PMID: 11868665
- 429: Schotland MS, Bero LA.
Evaluating public commentary and scientific evidence submitted in the development of a risk assessment.
Risk Anal. 2002 Feb;22(1):131-40.
PMID: 12017355
- 430: Schweizer C, Edwards RD, Bayer-Oglesby L, Gauderman WJ, Ilacqua V, Jantunen MJ, Lai HK, Nieuwenhuijsen M, Künzli N.
Indoor time-microenvironment-activity patterns in seven regions of Europe.
J Expo Sci Environ Epidemiol. 2007 Mar;17(2):170-81. Epub 2006 May 17.
PMID: 16721413
- 431: Sciacca JP, Ratliff MI.
Prohibiting smoking in restaurants: effects on restaurant sales.
Am J Health Promot. 1998 Jan-Feb;12(3):176-84.
PMID: 10176092
- 432: Sciacca JP.
A mandatory smoking ban in restaurants: concerns versus experiences.
J Community Health. 1996 Apr;21(2):133-50.
PMID: 8728361
- 433: Scollo M, Lal A, Hyland A, Glantz S.
Review of the quality of studies on the economic effects of smoke-free policies on the hospitality industry.
Tob Control. 2003 Mar;12(1):13-20. Review.
PMID: 12612356
- 434: Semple S, Miller BG, Hurley F, Petticrew M, Ayres JG.
Respiratory symptoms and inflammation after a smoking ban.
JAMA. 2007 Jan 24;297(4):359; author reply 359-60. No abstract available.
PMID: 17244827

- 435: Senn O, Russi EW, Imboden M, Probst-Hensch NM.
alpha1-Antitrypsin deficiency and lung disease: risk modification by occupational and environmental inhalants.
Eur Respir J. 2005 Nov;26(5):909-17.
PMID: 16264055
- 436: Shaham J, Meltzer A, Ashkenazi R, Ribak J.
Biological monitoring of exposure to cadmium, a human carcinogen, as a result of active and passive smoking.
J Occup Environ Med. 1996 Dec;38(12):1220-8.
PMID: 8978513
- 437: Shapiro SD, Demeo DL, Silverman EK.
Smoke and mirrors: Mouse models as a reflection of human chronic obstructive pulmonary disease.
Am J Respir Crit Care Med. 2004 Nov 1;170(9):929-31. No abstract available.
PMID: 15504815
- 438: Sheldon T.
Netherlands postpones smoking ban in restaurants and theatres.
BMJ. 2003 Oct 11;327(7419):832. No abstract available.
PMID: 14551091
- 439: Sheldon T.
Dutch workers entitled to smoke-free conditions, court rules.
BMJ. 2000 May 6;320(7244):1227. No abstract available.
PMID: 10797025
- 440: Shelley D, Yerneni R, Hung D, Das D, Fahs M.
The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City.
J Urban Health. 2007 May;84(3):360-71. Erratum in: J Urban Health. 2007 Jul;84(4):633. Das, Dihman [corrected to Das, Dhiman].
PMID: 17410472
- 441: Shen XM, Yan CH, Guo D, Wu SM, Li RQ, Huang H, Ao LM, Zhou JD, Hong ZY, Xu JD, Jin XM, Tang JM.
Umbilical cord blood lead levels in Shanghai, China.
Biomed Environ Sci. 1997 Mar;10(1):38-46.
PMID: 9099425
- 442: Shiell A, Chapman S.
The inertia of self-regulation: a game-theoretic approach to reducing passive smoking in restaurants.
Soc Sci Med. 2000 Oct;51(7):1111-9.
PMID: 11005396
- 443: Shopland DR, Anderson CM, Burns DM, Gerlach KK.
Disparities in smoke-free workplace policies among food service workers.
J Occup Environ Med. 2004 Apr;46(4):347-56.
PMID: 15076653
- 444: Shrubsole MJ, Gao YT, Dai Q, Shu XO, Ruan ZX, Jin F, Zheng W.
Passive smoking and breast cancer risk among non-smoking Chinese women.
Int J Cancer. 2004 Jul 1;110(4):605-9.
PMID: 15122595
- 445: Siegel M, Barbeau EM, Osinubi OY.**
The impact of tobacco use and secondhand smoke on hospitality workers.
Clin Occup Environ Med. 2006;5(1):31-42, viii. Review.
PMID: 16446252

- 446: Siegel M, Albers AB, Cheng DM, Biener L, Rigotti NA.
Effect of local restaurant smoking regulations on progression to established smoking among youths.
Tob Control. 2005 Oct;14(5):300-6.
PMID: 16183980
- 447: Siegel M, Albers AB, Cheng DM, Biener L, Rigotti NA.
Effect of local restaurant smoking regulations on environmental tobacco smoke exposure among youths.
Am J Public Health. 2004 Feb;94(2):321-5.
PMID: 14759949
- 448: Siegel M, Skeer M.**
Exposure to secondhand smoke and excess lung cancer mortality risk among workers in the "5 B's": bars, bowling alleys, billiard halls, betting establishments, and bingo parlours.
Tob Control. 2003 Sep;12(3):333-8. Review.
PMID: 12958397
- 449: Siegel M.
Involuntary smoking in the restaurant workplace. A review of employee exposure and health effects.
JAMA. 1993 Jul 28;270(4):490-3.
PMID: 8320789
- 450: Sikora VA.
Case not closed--issues of police authority, municipal smoking bans, and first amendment rights.
J Environ Health. 2001 Nov;64(4):31-2. No abstract available.
PMID: 11936030
- 451: Silva VL.
Environmental tobacco smoke exposure among non-smoking waiters: measurement of expired carbon monoxide levels.
Sao Paulo Med J. 2000 Jul 6;118(4):81-2. No abstract available.
PMID: 10887381
- 452: Silverman EK, Speizer FE.
Risk factors for the development of chronic obstructive pulmonary disease.
Med Clin North Am. 1996 May;80(3):501-22. Review.
PMID: 8637301
- 453: Simoni M, Baldacci S, Puntoni R, Pistelli F, Farchi S, Lo Presti E, Pistelli R, Corbo G, Agabiti N, Basso S, Matteelli G, Di Pede F, Carrozzi L, Forastiere F, Viegi G.
Respiratory symptoms/diseases and environmental tobacco smoke (ETS) in never smoker Italian women.
Respir Med. 2007 Mar;101(3):531-8. Epub 2006 Aug 8.
PMID: 16893638
- 454: Simpson D.
Smoke-free laws do not harm profits: new global report.
Tob Control. 2005 Aug;14(4):220. No abstract available.
PMID: 16046675
- 455: Singh UK, Suman S, Singh VK, Sinha RK.
Impact of passive smoking.
Indian J Pediatr. 1996 Mar-Apr;63(2):139-41. Review. No abstract available.
PMID: 10829980

- 456: Skeer M, Cheng DM, Rigotti NA, Siegel M.**
Secondhand smoke exposure in the workplace.
Am J Prev Med. 2005 May;28(4):331-7.
PMID: 15831337
- 457: Skeer M, Land ML, Cheng DM, Siegel MB.
 Smoking in Boston bars before and after a 100% smoke-free regulation: an assessment of early compliance.
 J Public Health Manag Pract. 2004 Nov-Dec;10(6):501-7.
 PMID: 15643372
- 458: Skeer M, George S, Hamilton WL, Cheng DM, Siegel M.
 Town-level characteristics and smoking policy adoption in Massachusetts: are local restaurant smoking regulations fostering disparities in health protection?
 Am J Public Health. 2004 Feb;94(2):286-92.
 PMID: 14759944
- 459: Skeer M, Siegel M.
 The descriptive epidemiology of local restaurant smoking regulations in Massachusetts: an analysis of the protection of restaurant customers and workers.
 Tob Control. 2003 Jun;12(2):221-6.
 PMID: 12773735
- 460: Skogstad M, Kjaerheim K, Fladseth G, Gjølstad M, Daae HL, Olsen R, Molander P, Ellingsen DG.**
Cross shift changes in lung function among bar and restaurant workers before and after implementation of a smoking ban.
Occup Environ Med. 2006 Jul;63(7):482-7. Epub 2006 Mar 21.
PMID: 16551754
- 461: Skorge TD, Eagan TM, Eide GE, Gulsvik A, Bakke PS.
 Exposure to environmental tobacco smoke in a general population.
 Respir Med. 2007 Feb;101(2):277-85. Epub 2006 Jun 30.
 PMID: 16814538
- 462: Smith GD, Phillips AN.
 Passive smoking and health: should we believe Philip Morris's "experts"?
 BMJ. 1996 Oct 12;313(7062):929-33. No abstract available.
 PMID: 8876102
- 463: Smith JT.
 Are passive smoking, air pollution and obesity a greater mortality risk than major radiation incidents?
 BMC Public Health. 2007 Apr 3;7:49.
 PMID: 17407581
- 464: Smith RB.
 A matter of life and breath.
 Occup Health Saf. 1992 Feb;61(2):4. No abstract available.
 PMID: 1565410
- 465: Sobel RA, Goldstein AO, Ives TJ.
 Impact of smoking control rules on restaurants in Orange County, North Carolina.
 N C Med J. 1998 Sep-Oct;59(5):288. No abstract available.
 PMID: 9785901
- 466: Sockrider M.
 The respiratory effects of passive tobacco smoking.
 Curr Opin Pulm Med. 1996 Mar;2(2):129-33. Review.
 PMID: 9363128

- 467: Sorensen G, Rigotti NA, Rosen A, Pinney J, Prible R.
Employee knowledge and attitudes about a work-site nonsmoking policy: rationale for further smoking restrictions.
J Occup Med. 1991 Nov;33(11):1125-30.
PMID: 1765852
- 468: Spengler JD.
Buildings operations and ETS exposure.
Environ Health Perspect. 1999 May;107 Suppl 2:313-7. Review.
PMID: 10375293
- 469: Stagnaro E, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Viganò C, Vindigni C, Vineis P.
Non-Hodgkin's lymphoma and type of tobacco smoke.
Cancer Epidemiol Biomarkers Prev. 2004 Mar;13(3):431-7.
PMID: 15006920
- 470: Stanley J.
ILSI and the tobacco industry. International Life Sciences Institute.
Am J Public Health. 2002 Jun;92(6):891-2; author reply 892-3. No abstract available.
PMID: 12036766
- 471: Stark MJ, Rohde K, Maher JE, Pizacani BA, Dent CW, Bard R, Carmella SG, Benoit AR, Thomson NM, Hecht SS.
The impact of clean indoor air exemptions and preemption policies on the prevalence of a tobacco-specific lung carcinogen among nonsmoking bar and restaurant workers.
Am J Public Health. 2007 Aug;97(8):1457-63. Epub 2007 Jun 28.
PMID: 17600262
- 472: Stayner L, Bena J, Sasco AJ, Smith R, Steenland K, Kreuzer M, Straif K.
Lung cancer risk and workplace exposure to environmental tobacco smoke.
Am J Public Health. 2007 Mar;97(3):545-51. Epub 2007 Jan 31.
PMID: 17267733**
- 473: Steenland K.
Risk assessment for heart disease and workplace ETS exposure among nonsmokers.
Environ Health Perspect. 1999 Dec;107 Suppl 6:859-63.
PMID: 10592143
- 474: Steenland K.
Epidemiology of occupation and coronary heart disease: research agenda.
Am J Ind Med. 1996 Oct;30(4):495-9. Review.
PMID: 8892556
- 475: Steenland K, Thun M, Lally C, Heath C Jr.
Environmental tobacco smoke and coronary heart disease in the American Cancer Society CPS-II cohort.
Circulation. 1996 Aug 15;94(4):622-8.
PMID: 8772680
- 476: Steinmaus C, Balmes JR.
Government laboratory worker with lung cancer: comparing risks from beryllium, asbestos, and tobacco smoke.
Environ Health Perspect. 2000 Oct;108(10):1003-6.
PMID: 11049824

- 477: Steyn K, Bradshaw D, Norman R, Laubscher R, Saloojee Y.
Tobacco use in South Africans during 1998: the first demographic and health survey.
J Cardiovasc Risk. 2002 Jun;9(3):161-70. Erratum in: J Cardiovasc Risk 2002 Aug;9(4):inside back cover.
PMID: 12202839
- 478: Stolzenberg L, D'Alessio SJ.
Is nonsmoking dangerous to the health of restaurants? The effect of California's indoor smoking ban on restaurant revenues.
Eval Rev. 2007 Feb;31(1):75-92.
PMID: 17259576
- 479: Strachan DP, Cook DG.
Health effects of passive smoking. 1. Parental smoking and lower respiratory illness in infancy and early childhood.
Thorax. 1997 Oct;52(10):905-14.
PMID: 9404380
- 480: Stranges S, Bonner MR, Fucci F, Cummings KM, Freudenheim JL, Dorn JM, Muti P, Giovino GA, Hyland A, Trevisan M.**
Lifetime cumulative exposure to secondhand smoke and risk of myocardial infarction in never smokers: results from the Western New York health study, 1995-2001.
Arch Intern Med. 2006 Oct 9;166(18):1961-7.
PMID: 17030828
- 481: Sturgis EM, Pytynia KB.
After the smoke clears: environmental and occupational risks for carcinoma of the upper aerodigestive tract.
Cancer J. 2005 Mar-Apr;11(2):96-103. Review.
PMID: 15969982
- 482: Subramaniam RP, Turim J, Golden SL, Kral P, Anderson EL.**
An exploratory study of variations in exposure to environmental tobacco smoke in the United States.
Risk Anal. 2001 Jun;21(3):561-74.
PMID: 11572433
- 483: Szklo M.**
The evaluation of epidemiologic evidence for policy-making.
Am J Epidemiol. 2001 Dec 15;154(12 Suppl):S13-7. Review. No abstract available.
PMID: 11744525
- 484: Tang H, Cowling DW, Stevens CM, Lloyd JC.
Changes of knowledge, attitudes, beliefs, and preference of bar owner and staff in response to a smoke-free bar law.
Tob Control. 2004 Mar;13(1):87-9.
PMID: 14985604
- 485: The GTSS Collaborative Group.
A cross country comparison of exposure to secondhand smoke among youth.
Tob Control. 2006 Jun;15 Suppl 2:ii4-19.
PMID: 16731523
- 486: Thomsen SF, Ulrik CS, Porsbjerg C, Backer V.
Early life exposures and risk of atopy among Danish children.
Allergy Asthma Proc. 2006 Mar-Apr;27(2):110-4.
PMID: 16724627

- 487: Thomson G, Wilson N.
One year of smokefree bars and restaurants in New Zealand: impacts and responses.
BMC Public Health. 2006 Mar 14;6:64.
PMID: 16533408
- 488: Thun M, Henley J, Apicella L.
Epidemiologic studies of fatal and nonfatal cardiovascular disease and ETS
exposure from spousal smoking.
Environ Health Perspect. 1999 Dec;107 Suppl 6:841-6.
PMID: 10592140
- 489: Toledo J.
Spain: lessons of a not-so-smoke-free law.
Tob Control. 2006 Jun;15(3):147-8. No abstract available.
PMID: 16728732
- 490: Torjussen W, Zachariasen H, Andersen I.
Cigarette smoking and nickel exposure.
J Environ Monit. 2003 Apr;5(2):198-201.
PMID: 12729253
- 491: Trout D, Decker J, Mueller C, Bernert JT, Pirkle J.
Exposure of casino employees to environmental tobacco smoke.
J Occup Environ Med. 1998 Mar;40(3):270-6.
PMID: 9531098**
- 492: Tsoukalas T, Glantz SA.
The Duluth clean indoor air ordinance: problems and success in fighting the
tobacco industry at the local level in the 21st century.
Am J Public Health. 2003 Aug;93(8):1214-21.
PMID: 12893598
- 493: Tulunay OE, Hecht SS, Carmella SG, Zhang Y, Lemmonds C, Murphy S, Hatsukami
DK.
Urinary metabolites of a tobacco-specific lung carcinogen in nonsmoking
hospitality workers.
Cancer Epidemiol Biomarkers Prev. 2005 May;14(5):1283-6.
PMID: 15894687
- 494: Tumolo J.
A breath of fresh air. Tired of smoky restaurants and bars, more communities go
smoke-free.
Adv Nurse Pract. 2004 Mar;12(3):55-6. No abstract available.
PMID: 15038186
- 495: Tuomi T, Johnsson T, Reijula K.
Analysis of nicotine, 3-hydroxycotinine, cotinine, and caffeine in urine of
passive smokers by HPLC-tandem mass spectrometry.
Clin Chem. 1999 Dec;45(12):2164-72.
PMID: 10585349
- 496: Tutt D, Harris W.
Where there's smoke...carbon monoxide exposures in smoking and smoke-free
workplaces.
Community Health Stud. 1990;14(3):297-302.
PMID: 2253466
- 497: Tweedie RL, Scott DJ, Biggerstaff BJ, Mengersen KL.
Bayesian meta-analysis, with application to studies of ETS and lung cancer.
Lung Cancer. 1996 Mar;14 Suppl 1:S171-94.
PMID: 8785662

- 498: Tweedie RL, Mengersen KL.**
Meta-analytic approaches to dose-response relationships, with application in studies of lung cancer and exposure to environmental tobacco smoke.
Stat Med. 1995 Mar 15-Apr 15;14(5-7):545-69.
PMID: 7792447
- 499: Tyc VL, Throckmorton-Belzer L, Klosky JL, Greeson FL, Lensing S, Rai SN, Hudson MM.
Smoking among parents of pediatric cancer patients and children's exposure to environmental tobacco smoke.
J Child Health Care. 2004 Dec;8(4):288-300.
PMID: 15507466
- 500: Tylicki L, Puttinger H, Rutkowski P, Rutkowski B, Horl WH.
Smoking as a risk factor for renal injury in essential hypertension.
Nephron Clin Pract. 2006;103(4):c121-8. Epub 2006 Apr 24.
PMID: 16636579
- 501: Tzelepis F, Walsh RA, Paul CL.
Community attitudes towards environmental tobacco smoke in licensed premises: follow-up study after the Sharp case.
Aust N Z J Public Health. 2003 Oct;27(5):539-42.
PMID: 14651402
- 502: Törnqvist M, Ehrenberg L.
Estimation of cancer risk caused by environmental chemicals based on in vivo dose measurement.
J Environ Pathol Toxicol Oncol. 2001;20(4):263-71. Review.
PMID: 11797835
- 503: Uekoetter F.
The strange career of the Ringelmann smoke chart.
Environ Monit Assess. 2005 Jul;106(1-3):11-26.
PMID: 16001709
- 504: Uslan K, Forster JL, Chen V.
Smoking policies in small worksites in Minnesota.
Am J Health Promot. 2007 May-Jun;21(5):416-21.
PMID: 17515005
- 505: van Walbeek C, Blecher E, van Graan M.
Effects of the Tobacco Products Control Amendment Act of 1999 on restaurant revenues in South Africa--a survey approach.
S Afr Med J. 2007 Mar;97(3):208-11.
PMID: 17440671
- 506: Vardavas CI, Athanasopoulos D, Balomenaki E, Niaounaki D, Linardakis MK, Kafatos AG.
Smoking habits of Greek preschool children's parents.
BMC Public Health. 2007 Jun 14;7:112.
PMID: 17570836
- 507: Vayssier-Taussat M, Kreps SE, Adrie C, Dall'Ava J, Christiani D, Polla BS.
Mitochondrial membrane potential: a novel biomarker of oxidative environmental stress.
Environ Health Perspect. 2002 Mar;110(3):301-5.
PMID: 11882482

- 508: Villeneuve PJ, Johnson KC, Mao Y, Hanley AJ; Canadian Cancer Registries Research Group.
Environmental tobacco smoke and the risk of pancreatic cancer: findings from a Canadian population-based case-control study.
Can J Public Health. 2004 Jan-Feb;95(1):32-7.
PMID: 14768739
- 509: Vincent AL, Bradham D, Hoecherl S, McTague D.
BRFSS-based survey of the Florida public on restaurant smoking.
J Fla Med Assoc. 1994 Mar;81(3):171-3.
PMID: 8195772
- 510: Vine MF.
Biologic markers of exposure: current status and future research needs.
Toxicol Ind Health. 1996 Mar-Apr;12(2):189-200. Review.
PMID: 8794532
- 511: Vineis P, Hoek G, Krzyzanowski M, Vigna-Taglianti F, Veglia F, Airoidi L, Overvad K, Raaschou-Nielsen O, Clavel-Chapelon F, Linseisen J, Boeing H, Trichopoulou A, Palli D, Krogh V, Tumino R, Panico S, Bueno-De-Mesquita HB, Peeters PH, Lund E E, Agudo A, Martinez C, Dorronsoro M, Barricarte A, Cirera L, Quiros JR, Berglund G, Manjer J, Forsberg B, Day NE, Key TJ, Kaaks R, Saracci R, Riboli E.**
Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study.
Environ Health. 2007 Feb 15;6:7.
PMID: 17302981
- 512: Vineis P.
The challenge of low levels of exposure.
Prev Med. 2007 Feb;44(2):107-8. Epub 2007 Jan 18. No abstract available.
PMID: 17239943
- 513: Wakefield M, Cameron M, Inglis G, Letcher T, Durkin S.**
Secondhand smoke exposure and respiratory symptoms among casino, club, and office workers in Victoria, Australia.
J Occup Environ Med. 2005 Jul;47(7):698-703.
PMID: 16010196
- 514: Wakefield M, Trotter L, Cameron M, Woodward A, Inglis G, Hill D.
Association between exposure to workplace secondhand smoke and reported respiratory and sensory symptoms: cross-sectional study.
J Occup Environ Med. 2003 Jun;45(6):622-7.
PMID: 12802215
- 515: Wakefield M, Roberts L, Miller C.
Perceptions of the effect of an impending restaurant smoking ban on dining-out experience.
Prev Med. 1999 Jul;29(1):53-6.
PMID: 10419800
- 516: Wakefield MA, Wilson D, Owen N, Esterman A, Roberts L.
Workplace smoking restrictions, occupational status, and reduced cigarette consumption.
J Occup Med. 1992 Jul;34(7):693-7.
PMID: 1494961
- 517: Walker B Jr, Stokes LD, Warren R.
Environmental factors associated with asthma.
J Natl Med Assoc. 2003 Feb;95(2):152-66. Review.
PMID: 12760611

- 518: Walker L.
It's time to ban smoking in public.
Nurs Times. 2005 Jun 21-27;101(25):45. No abstract available.
PMID: 15997950
- 519: Walsh RA, Tzelepis F, Paul CL, McKenzie J.
Environmental tobacco smoke in homes, motor vehicles and licensed premises:
community attitudes and practices.
Aust N Z J Public Health. 2002 Dec;26(6):536-42.
PMID: 12530798
- 520: Walsh RA, Paul CL, Tzelepis F.
Overwhelming support for smoking bans.
Aust N Z J Public Health. 2000 Dec;24(6):640-1. No abstract available.
PMID: 11215020
- 521: Ward C, Lewis S, Coleman T.
Prevalence of maternal smoking and environmental tobacco smoke exposure during
pregnancy and impact on birth weight: retrospective study using Millennium
Cohort.
BMC Public Health. 2007 May 16;7:81.
PMID: 17506887
- 522: Waring MS, Siegel JA.
An evaluation of the indoor air quality in bars before and after a smoking ban in
Austin, Texas.
J Expo Sci Environ Epidemiol. 2007 May;17(3):260-8. Epub 2006 Jun 28.
PMID: 16804559
- 523: Waters MD, Claxton LD, Stack HF, Graedel TE.
Genetic activity profiles--application in assessing potential carcinogenicity of
complex environmental mixtures.
IARC Sci Publ. 1990;(104):75-88. Review.
PMID: 2228145
- 524: Watson R.
Smoke free areas do not harm profits, survey shows.
BMJ. 2003 Jun 7;326(7401):1232. No abstract available.
PMID: 12791724
- 525: Weaver VM, Buckley TJ, Groopman JD.
Approaches to environmental exposure assessment in children.
Environ Health Perspect. 1998 Jun;106 Suppl 3:827-32. Review.
PMID: 9646045
- 526: Weber A.
[A plea for improved room ventilation]
Offentl Gesundheitswes. 1991 Oct;53 Suppl 2:157-9. German. No abstract available.
PMID: 1836859
- 527: Weber MD, Bagwell DA, Fielding JE, Glantz SA.
Long term compliance with California's Smoke-Free Workplace Law among bars and
restaurants in Los Angeles County.
Tob Control. 2003 Sep;12(3):269-73.
PMID: 12958386
- 528: Weinberg ED.
The development of awareness of the carcinogenic hazard of inhaled iron.
Oncol Res. 1999;11(3):109-13. Review.
PMID: 10527070

- 529: Weiss ST, Utell MJ, Samet JM.
Environmental tobacco smoke exposure and asthma in adults.
Environ Health Perspect. 1999 Dec;107 Suppl 6:891-5. Review.
PMID: 10592149
- 530: Wells AJ.
Lung cancer from passive smoking at work.
Am J Public Health. 1998 Jul;88(7):1025-9.
PMID: 9663148
- 531: Wells AJ.
Re: "Breast cancer, cigarette smoking, and passive smoking".
Am J Epidemiol. 1998 May 15;147(10):991-2. No abstract available. Erratum in: Am
J Epidemiol 1998 Aug 1;148(3):314.
PMID: 9596478
- 532: WHO Study Group.
The scientific basis of tobacco product regulation.
World Health Organ Tech Rep Ser. 2007;(945):1-112, back cover.
PMID: 17802809
- 533: Widome R, Jacobs DR Jr, Schreiner PJ, Iribarren C.
Passive smoke exposure trends and workplace policy in the Coronary Artery Risk
Development in Young Adults (CARDIA) study (1985-2001).
Prev Med. 2007 Jun;44(6):490-5. Epub 2007 Feb 23.
PMID: 17433426
- 534: Willemsen MC, Görts CA, Van Soelen P, Jonkers R, Hilberink SR.
Exposure to environmental tobacco smoke (ETS) and determinants of support for
complete smoking bans in psychiatric settings.
Tob Control. 2004 Jun;13(2):180-5.
PMID: 15175537
- 535: Willemsen MC, Brug J, Uges DR, Vos de Wael ML.**
Validity and reliability of self-reported exposure to environmental tobacco smoke
in work offices.
J Occup Environ Med. 1997 Nov;39(11):1111-4.
PMID: 9383722
- 536: Williams A, Peterson E, Knight S, Hiller M, Pelletier A.
Survey of restaurants regarding smoking policies.
J Public Health Manag Pract. 2004 Jan-Feb;10(1):35-40.
PMID: 15018339
- 537: Williams MD, Sandler AB.
The epidemiology of lung cancer.
Cancer Treat Res. 2001;105:31-52. Review.
PMID: 11224993
- 538: Wilson N, Sertso G, Edwards R, Thomson G, Grigg M, Li J.
A new national smokefree law increased calls to a national quitline.
BMC Public Health. 2007 May 8;7:75.
PMID: 17488525
- 539: Wilson N, Thomson G.
Still dying from second-hand smoke at work: a brief review of the evidence for
smoke-free workplaces in New Zealand.
N Z Med J. 2002 Nov 8;115(1165):U240. Review.
PMID: 12552286

- 540: Wilson RS.
Involuntary smoking in Savannah's restaurants.
J Med Assoc Ga. 1990 Jan;79(1):35-8.
PMID: 2335762
- 541: Wilson SE, Kahn RS, Khoury J, Lanphear BP.
Racial differences in exposure to environmental tobacco smoke among children.
Environ Health Perspect. 2005 Mar;113(3):362-7.
PMID: 15743729
- 542: Windham GC, Hopkins B, Fenster L, Swan SH.
Prenatal active or passive tobacco smoke exposure and the risk of preterm delivery or low birth weight.
Epidemiology. 2000 Jul;11(4):427-33.
PMID: 10874550
- 543: Windsor R, Oncken C, Henningfield J, Hartmann K, Edwards N.
Behavioral and pharmacological treatment methods for pregnant smokers: issues for clinical practice.
J Am Med Womens Assoc. 2000 Fall;55(5):304-10.
PMID: 11070654
- 544: Witta A, Gutzwiller F, Largiadèr F, Frick T.
[Passive smoking in the workplace: a survey in the Zurich University Hospital]
Schweiz Med Wochenschr. 1997 Jan 25;127(4):95-101. German.
PMID: 9064756
- 545: Woodruff TJ, Rosbrook B, Pierce J, Glantz SA.
Lower levels of cigarette consumption found in smoke-free workplaces in California.
Arch Intern Med. 1993 Jun 28;153(12):1485-93.
PMID: 8512439
- 546: Woodward A, Hill S, Blakely T.
Deaths caused by secondhand smoke: estimates are consistent.
Tob Control. 2004 Sep;13(3):319-20. No abstract available.
PMID: 15333892
- 547: Woodward A.
Why all workplaces should be smoke free.
N Z Med J. 2002 Nov 8;115(1165):U236. No abstract available.
PMID: 12552283
- 548: Woodward A, al-Delaimy W.
Measures of exposure to environmental tobacco smoke. Validity, precision, and relevance.
Ann N Y Acad Sci. 1999;895:156-72.
PMID: 10676415**
- 549: Woodward A.
Is passive smoking in the workplace hazardous to health?
Scand J Work Environ Health. 1991 Oct;17(5):293-301. Review.
PMID: 1947914
- 550: Woodward SD, Winstanley MH.
Lung cancer and passive smoking at work: the Carroll case.
Med J Aust. 1990 Dec 3-17;153(11-12):682-4.
PMID: 2174094

- 551: Wortley PM, Caraballo RS, Pederson LL, Pechacek TF.
Exposure to secondhand smoke in the workplace: serum cotinine by occupation.
J Occup Environ Med. 2002 Jun;44(6):503-9.
PMID: 12085475
- 552: Wu JM, Du YX.
Summary of papers and research recommendations presented at the International
Symposium on Lifestyle Factors and Human Lung Cancer, Guangzhou, China.
Lung Cancer. 1996 Mar;14 Suppl 1:S223-34.
PMID: 8785665
- 553: Yach D, Bialous SA.
Junking science to promote tobacco.
Am J Public Health. 2001 Nov;91(11):1745-8.
PMID: 11684592
- 554: Yamaguchi N.
Uncertainty in risk characterization of weak carcinogens.
Ann N Y Acad Sci. 1999;895:338-47.
PMID: 10676426
- 555: Yun S, Chanetsa F, Kelsey A, Zhu BP.
Active and passive smoking among asthmatic Missourians: implications for health
education.
Prev Med. 2006 Apr;42(4):286-90. Epub 2006 Feb 20.
PMID: 16488000
- 556: Zeegers MP, Goldbohm RA, van den Brandt PA.
A prospective study on active and environmental tobacco smoking and bladder
cancer risk (The Netherlands).
Cancer Causes Control. 2002 Feb;13(1):83-90.
PMID: 11899922
- 557: Zeise L, Cardis E, Hemminki K, Schwarz M.
Quantitative estimation and prediction of cancer risk: review of existing
activities.
IARC Sci Publ. 1999;(131):11-59. Review. No abstract available.
PMID: 10505292
- 558: Zeka A, Mannetje A, Zaridze D, Szeszenia-Dabrowska N, Rudnai P, Lissowska J,
Fabiánová E, Mates D, Bencko V, Navratilova M, Cassidy A, Janout V, Travier N,
Fevotte J, Fletcher T, Brennan P, Boffetta P.
Lung cancer and occupation in nonsmokers: a multicenter case-control study in
Europe.
Epidemiology. 2006 Nov;17(6):615-23.
PMID: 17068414
- 559: Zellers L, Thomas MA, Ashe M.
Legal risks to employers who allow smoking in the workplace.
Am J Public Health. 2007 Aug;97(8):1376-82. Epub 2007 Jun 28. Review.
PMID: 17600261
- 560: Zemła B, Gumiński S, Franek K, Kołosza Z, Banasik R.
Etiological factors in invasive corpus uteri carcinoma.
Neoplasma. 1991;38(2):157-63.
PMID: 2041575

- 561: Zhang G, Spickett J, Rumchev K, Lee AH, Stick S.
Snoring in primary school children and domestic environment: a Perth school based study.
Respir Res. 2004 Nov 4;5:19.
PMID: 15527500
- 562: Zhong L, Goldberg MS, Parent ME, Hanley JA.**
Exposure to environmental tobacco smoke and the risk of lung cancer: a meta-analysis.
Lung Cancer. 2000 Jan;27(1):3-18.
PMID: 10672779
- 563: Zhong L, Goldberg MS, Gao YT, Jin F.**
A case-control study of lung cancer and environmental tobacco smoke among nonsmoking women living in Shanghai, China.
Cancer Causes Control. 1999 Dec;10(6):607-16.
PMID: 10616829
- 564: Zhou R, Li S, Zhou Y, Haug A.
Comparison of environmental tobacco smoke concentrations and mutagenicity for several indoor environments.
Mutat Res. 2000 Feb 16;465(1-2):191-200.
PMID: 10708986
- 565: Zielinski JM, Krewski D, Goddard MJ, Wang Y.
Empirical and biologically based models for cancer risk assessment.
Drug Metab Rev. 1996 Feb-May;28(1-2):53-75. Review. No abstract available.
PMID: 8744589
- 566: Zitting A, Husgafvel-Pursianen K, Rantanen J.**
Environmental tobacco smoke--a major preventable cause of impaired health at work.
Scand J Work Environ Health. 2002;28 Suppl 2:3-6. No abstract available.
PMID: 12058800
- 567: Zwissler B, Reither A.
[Preoperative abstinence from smoking. An outdated dogma in anaesthesia?]
Anaesthesist. 2005 Jun;54(6):550-9. Review. German.
PMID: 15895200
- 568: [No authors listed]
New hope for a complete smoking ban in public places.
Lancet. 2006 Jan 21;367(9506):184. No abstract available.
PMID: 16427470
- 569: [No authors listed]
Ethylene oxide--a review.
J Environ Health. 2005 Nov;68(4):50. No abstract available.
PMID: 16334098
- 570: [No authors listed]
Stat bite: Municipalities with smoke-free laws.
J Natl Cancer Inst. 2004 Jul 21;96(14):1059. No abstract available.
PMID: 15265965
- 571: [No authors listed]
Little Falls goes smoke free.
Minn Med. 2000 Nov;83(11):35. No abstract available.
PMID: 11126480

- 572: [No authors listed]
In Minnesota clean air debates, where there's smoke, there's ire.
Minn Med. 2000 Jul;83(7):33, 35. No abstract available.
PMID: 10932553
- 573: [No authors listed]
Minority children at risk from ETS.
Environ Health Perspect. 1999 Nov;107(11):A555.
PMID: 10544167
- 574: [No authors listed]
Finding common ground: how public health can work with organized labor to protect workers from environmental tobacco smoke. National Association for Public Health Policy.
J Public Health Policy. 1997;18(4):453-64.
PMID: 9519620
- 575: [No authors listed]
CDC says NC workers get little legal protection from smoke.
Environ Health Perspect. 1995 Jul-Aug;103(7-8):651-2. No abstract available.
PMID: 7588471